


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 52nd Street Oklahoma City, OK 73118 USA	
PLANT LOCATIONS: Oklahoma City	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME BPVC Section VIII Div. 1.
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: 1/4" F100 SS6 Filter Body
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
Kimray CRN Drawing (0H13012.2); Pressure Barrier Part Drawings (A-2680 & A-2681), ASME Calculations, Material Construction Specification, and ISO/TS 29001 Quality Certification.	

DECLARATION:

I Kevin Gentriv (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by American Petroleum Institute (API) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Kimray, Inc.
 This 14th day of February AD 2013
 Commissioner of Oaths or Notary Public: (sign) Nancy C. Rice



This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OH13012.2 REV</u> FID#: <u>2908</u>	ACCEPTED PROVINCE OF PRINCE EDWARD ISLAND ENVIRONMENT, LABOUR & JUSTICE C.R.N. <u>OH13012.29 Rev</u> DATE: <u>May 30/13</u> INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH Sect. 1.0 - Fittings Rev. 1 06/2003
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 52nd Street Oklahoma City, OK 73118 USA	
PLANT LOCATIONS: Oklahoma City	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION ASME BPVC Section VIII Div. 1.</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> 	<p>TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: 1/4" F100 SS6 Filter Body</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Kimray CRN Drawing (OH13012.2); Pressure Barrier Part Drawings (A-2680 & A-2681), ASME Calculations, Material Construction Specification, and ISO/TS 29001 Quality Certification.</p>	

DECLARATION:

I, Kevin Gentry (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by American Petroleum Institute (API) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Kimray, Inc.

This 14th day of February AD 2013

Commissioner of Oaths or Notary Public: (sign) [Signature]



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OH13012.2 REV

FID#: 2908

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Date: May 31/13

C.R.N. OH13012.28REV

Dwg. as described

Signed Yvonne Perry

1 of 1 Part

Boiler & Pressure Vessel
 Nova Scotia
 Reg. 1.0 - Fittings Rev. 1 06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 52nd Street Oklahoma City, OK 73118 USA	
PLANT LOCATIONS: Oklahoma City	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION ASME BPVC Section VIII Div. 1.</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div style="text-align: center; font-size: 2em; font-weight: bold;">KIMRAY INC.®</div>	
<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: 1/4" F100 SS6 Filter Body</p>	
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Kimray CRN Drawing (0H13012.2); Pressure Barrier Part Drawings (A-2680 & A-2681), ASME Calculations, Material Construction Specification, and ISO/TS 29001 Quality Certification.</p>	

DECLARATION:

I Kevin Gentriv (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by American Petroleum Institute (API) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Kevin Gentriv*

Declared before me at Kimray, Inc.

This 14th day of February AD 2013

Commissioner of Oaths or Notary Public: (sign) *Nancy C. Rice*



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OH13012.2 REV

FID#: 2908

BOILER & PRESSURE VESSEL ACT
REGISTRATION ONLY
 CRN OH13012.27 Rev
 EXAMINER: *Kevin Crown*
 for
CHIEF BOILER INSPECTOR
 DATE: 5/31/2013

Notes:

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

BLRs PVs
 FITTINGS COMPONENTS

Sect. 1.0 - Fittings Rev. 1 06/2003


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON


PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR







MANUFACTURERS NAME: <u>KIMRAY, INC.</u>	
MANUFACTURERS ADDRESS: <u>52 N.W 52nd Street</u> <u>Oklahoma City, OK 73118</u> <u>USA</u>	
PLANT LOCATIONS: <u>Oklahoma City</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A <input type="checkbox"/> Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B <input type="checkbox"/> Flanges: all flanges</p> <p>C <input type="checkbox"/> Valves: all line valves</p> <p>D <input type="checkbox"/> Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E <input type="checkbox"/> Strainers, filters, separators, and steam traps</p> <p>F <input type="checkbox"/> Measuring devices, Including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G <input type="checkbox"/> Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H <input type="checkbox"/> Pressure retaining components that do not fall into one of the above categories</p> <p>N <input type="checkbox"/> Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME BPVC Section VIII Div. 1.</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
<p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER: <u>1/4" F100 SS6 Filter Body</u></p>	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<u>Kimray CRN Drawing (OH13012.2); Pressure Barrier Part Drawings (A-2680 & A-2681), ASME Calculations, Material Construction Specification, and ISO/TS 29001 Quality Certification.</u>	

DECLARATION:

I Kevin Gentr (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by American Petroleum Institute (API) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 
 Declared before me at Kimray, Inc.
 This 14th day of February AD 2013
 Commissioner of Oaths or Notary Public: (sign) Nancy C. Rice



This space for Regulatory Authority use						
This registration must be revalidated after ten (10) years from the date of acceptance.						
CRN: <u>OH13012.2 REV</u> FID#: <u>2908</u>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="text-align:center;">  GOVERNMENT OF NEWFOUNDLAND AND LABRADOR Department of Government Services </td> </tr> <tr> <td> Registered <u>OH13012.20 REV</u> Date <u>07 JUNE 2013</u> </td> </tr> <tr> <td style="text-align:center;"> GOVERNMENT SERVICES CENTRE Engineering and Inspection Services </td> </tr> <tr> <td> Registered by <u></u> </td> </tr> <tr> <td style="text-align:center;"> UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS </td> </tr> </table>	 GOVERNMENT OF NEWFOUNDLAND AND LABRADOR Department of Government Services	Registered <u>OH13012.20 REV</u> Date <u>07 JUNE 2013</u>	GOVERNMENT SERVICES CENTRE Engineering and Inspection Services	Registered by <u></u>	UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS
 GOVERNMENT OF NEWFOUNDLAND AND LABRADOR Department of Government Services						
Registered <u>OH13012.20 REV</u> Date <u>07 JUNE 2013</u>						
GOVERNMENT SERVICES CENTRE Engineering and Inspection Services						
Registered by <u></u>						
UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS						
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.						

Section 1.0 Fittings Rev. 1 06/2003


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 52nd Street Oklahoma City, OK 73118 USA	
PLANT LOCATIONS: Oklahoma City	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> ASME BPVC Section VIII Div. 1.
<p align="center">SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> 	<p align="center">TYPE OF CONSTRUCTION</p> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: 1/4" F100 SS6 Filter Body
<p align="center">LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> Kimray CRN Drawing (0H13012.2); Pressure Barrier Part Drawings (A-2680 & A-2681), ASME Calculations, Material Construction Specification, and ISO/TS 29001 Quality Certification.	

DECLARATION:

I, Kevin Gentriv (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by American Petroleum Institute (API) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Kimray, Inc.
 This 14th day of February AD 2013
 Commissioner of Oaths or Notary Public: (sign) [Signature]




This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0H13012.2 REV

FID#: 2908


Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



Sect. 1.0 - Fittings Rev. 1 06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
 NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 52nd Street Oklahoma City, OK 73118 USA	
PLANT LOCATIONS: Oklahoma City	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME BPVC Section VIII Div. 1.
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: 1/4" F100 SS6 Filler Body
	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Kimray CRN Drawing (OH13012.2); Pressure Barrier Part Drawings (A-2680 & A-2681), ASME Calculations, Material Construction Specification, and ISO/TS 29001 Quality Certification.	

DECLARATION:

I, Kevin Gentry (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by American Petroleum Institute (API) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Kimray, Inc.
 This 14th day of February AD 2013
 Commissioner of Oaths or Notary Public: (sign) Nancy C. Rice




This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OH13012.2 REV
 FID#: 2908

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.


 Northwest Territories
REGISTERED
 UNDER THE AUTHORITY OF
 THE BOILER AND PRESSURE
 VESSEL ACT.
 C.R.N. OH13012.2T Rev
 SIGNED [Signature]
 DATE 14 Feb 2013 Sect. 10 - Fittings Rev. 1 08/2003

53.00


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 52nd Street Oklahoma City, OK 73118 USA	
PLANT LOCATIONS: Oklahoma City	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION ASME BPVC Section VIII Div. 1.</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: 1/4" F100 SS6 Filter Body	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
Kimray CRN Drawing (OH13012.2); Pressure Barrier Part Drawings (A-2680 & A-2681), ASME Calculations, Material Construction Specification, and ISO/TS 29001 Quality Certification.	

DECLARATION:

I Kevin Gonty (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by American Petroleum Institute (API) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Kimray, Inc.
 This 14th day of February AD 2013
 Commissioner of Oaths or Notary Public: (sign) [Signature]



This registration must be revalidated after ten (10) years from the date of acceptance. CRN: <u>OH13012.2 REV</u> FID#: <u>2908</u>	<p align="center">NUNAVUT</p> <p align="center">Boilers and Pressure Vessels Act</p> <p align="center">REGISTERED</p> CRN <u>OH13012.2 N Rev</u> Date <u>June 07, 2013</u> Signed <u>[Signature]</u> Chief Inspector
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	
Territorial Registration Fee	