


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>KIMRAY, INC.</u>	
MANUFACTURERS ADDRESS: <u>52 N W 42nd Street</u> <u>Oklahoma City, OK 73118</u> <u>U.S.A</u> <u>(405) 525-6601</u>	
PLANT LOCATIONS: <u>Oklahoma City</u>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION  <u>ASME B31.3-2012 &amp; B16.34-2013</u>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER  <u>2-6" Steel Low Press Motor Valves</u>	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<u>Drawings CRN091214 Rev. A-03, CRN091214-CODE Rev. A-03, CRN091214-BOM Rev. A-03, ASME Calculations, and Quality API Spec Q1 and ISO 9001:2008.</u>	

**DECLARATION:**

I Thomas Hill (see note 3) employed by KIMRAY, INC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Oklahoma City, OK

This 20<sup>th</sup> day of May AD 2015

Commissioner of Oaths or Notary Public: (sign) [Signature]



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C15620.2

FID#: 2908

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

**NUNAVUT**  
Boilers and Pressure Vessels Act

**REGISTERED**

CRN 0C15620.2 N

Date June 05, 2015


Signed [Signature]  
Chief Inspector

Version 1.0 - Fittings Rev. 1/05/2003

**Territorial Registration Fee**


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK      NOVA SCOTIA      PRINCE EDWARD ISLAND      NEWFOUNDLAND AND LABRADOR  
 NUNAVUT            YUKON                              NORTHWEST TERRITORIES

MANUFACTURERS NAME: <b>KIMRAY, INC.</b>	
MANUFACTURERS ADDRESS: <b>52 N.W 42nd Street Oklahoma City, OK 73118 U.S.A (405) 525-8801</b>	
PLANT LOCATIONS: <b>Oklahoma City</b>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION  ASME B31.3-2012 & B16.34-2013
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>	
	
<b>TYPE OF CONSTRUCTION</b>	
FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: 2-8" Steel Low Press Motor Valves	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Drawings CRN091214 Rev. A-03, CRN091214-CODE Rev. A-03, CRN091214-BOM Rev. A-03, ASME Calculations, and Quality API Spec Q1 and ISO 9001:2008.	

**DECLARATION:**

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.



Signature of Declarer: 

Declared before me at Oklahoma City, OK

This 20<sup>th</sup> day of May AD 2015

Commissioner of Oaths or Notary Public: (sign) 



This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0C15620.2</u>	
FID#: <u>2908</u>	
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	
UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.R.N. <u>0C15620.2T</u> SIGNED  DATE <u>June 5th 2015</u> (Rev. 1 06/2003)	

163.00


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N W 42nd Street	Oklahoma City, OK 73118 U S A (405) 525-6601
PLANT LOCATIONS: Oklahoma City	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION  ASME B31.3-2012 & B16.34-2013
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>	
	
<b>TYPE OF CONSTRUCTION</b>	
FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:  2-6" Steel Low Press Motor Valves	
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>	
Drawings CRN091214 Rev. A-03, CRN091214-CODE Rev. A-03, CRN091214-BOM Rev. A-03, ASME Calculations, and Quality API Spec Q1 and ISO 9001:2008.	

**DECLARATION:**

I, Thomas Hill (see note 3) employed by KIMRAY, INC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath

Signature of Declarer:





Declared before me at

Oklahoma City, OK

This 20<sup>th</sup> day of

May AD 2015

Commissioner of Oaths or Notary Public: (sign)

This space for Regulatory Authority use


This registration must be revalidated after ten (10) years from the date of acceptance

CRN: 0C15620.2

FID#: 2908

Notes:

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



Sect. 1.0 - Fittings Rev. 1 05/2003


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>KIMRAY, INC.</u>		
MANUFACTURERS ADDRESS: <u>52 N W 42nd Street</u>	<u>Oklahoma City, OK 73118</u> U S A (405) 525-6601	
PLANT LOCATIONS: <u>Oklahoma City</u>		
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B31 3-2012 &amp; B16 34-2013</p>	
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <div align="center" style="font-size: 2em; font-weight: bold; margin: 10px 0;">  </div>		<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER</p> <p>2-6" Steel Low Press Motor Valves</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>Drawings CRN091214 Rev A-03, CRN091214-CODE Rev A-03, CRN091214-BOM Rev A-03, ASME Calculations, and Quality API Spec Q1 and ISO 9001:2008</p>		

**DECLARATION:**

I Thomas Hill (see note 3) employed by KIMRAY INC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath


Signature of Declarer: 

Declared before me at Oklahoma City, OK

This 20<sup>th</sup> day of May AD 2015

Commissioner of Oaths or Notary Public: (sign) 



<p align="center">This space for Regulatory Authority use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of registration.</p> <p>CRN: <u>0C15620.2</u></p> <p>FID#: <u>2908</u></p> <p>Notes</p> <ol style="list-style-type: none"> <li>All fittings shall be registered in the name of the Manufacturer.</li> <li>Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</li> </ol>	<p align="center"><b>DEPT OF PUBLIC SAFETY</b></p> <p align="center"><b>BOILER &amp; PRESSURE VESSEL ACT</b></p> <p align="center"><b>REGISTRATION ONLY</b></p> <p>CRN <u>0C15620.27</u></p> <p>EXAMINER: </p> <p align="center">for <b>CHIEF BOILER INSPECTOR</b></p> <p>DATE: <u>6/05/2015</u></p> <p><input type="checkbox"/> BLRsct <input type="checkbox"/> Fittings <input checked="" type="checkbox"/> PVS 1 06/2003</p> <p><input checked="" type="checkbox"/> FITTINGS <input type="checkbox"/> COMPONENTS</p>
--	--


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>KIMRAY, INC.</u>	
MANUFACTURERS ADDRESS: <u>52 N.W 42nd Street Oklahoma City, OK 73118 U S A (405) 525-6601</u>	
PLANT LOCATIONS: <u>Oklahoma City</u>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION  ASME B31.3-2012 & B16.34-2013
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>	
	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:  2-6" Steel Low Press Motor Valves
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>	
Drawings CRN091214 Rev. A-03, CRN091214-CODE Rev. A-03, CRN091214-BOM Rev. A-03 ASME Calculations, and Quality API Spec Q1 and ISO 9001 2008	

**DECLARATION:**

I Thomas Hill (see note 3) employed by KIMRAY INC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: 

Declared before me at Oklahoma City, OK

This 20<sup>th</sup> day of May AD 2015

Commissioner of Oaths or Notary Public: (sign) 



This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0C15620.2</u>  FID#: <u>2908</u>	Newfoundland Labrador  Service NL Registered <u>0C15620.20</u> Date <u>15/06/05</u> Engineering and Inspection Services Registered by   UNDER THE AUTHORITY OF THE PUBLIC SAFETY AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS 1 06/2003
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: KIMRAY, INC.
MANUFACTURERS ADDRESS: 52 N.W 42nd Street Oklahoma City, OK 73118 U.S.A (405) 525-6601
PLANT LOCATIONS: Oklahoma City
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
C Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
H Pressure retaining components that do not fall into one of the above categories
N Nuclear components: Class 1 [ ] Class 2 [ ] Class 3 [ ], (Meeting CNSC or ASME requirements)
TITLE OF THE STANDARD OF CONSTRUCTION
ASME B31.3-2012 & B16.34-2013
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT
KIMRAY INC.
TYPE OF CONSTRUCTION
FORGED [ ] WELDED [ ] WROUGHT [ ]
CAST [ ] OTHER [ ]
DESCRIBE OTHER:
2-6" Steel Low Press Motor Valves
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
Drawings CRN091214 Rev. A-03, CRN091214-CODE Rev. A-03, CRN091214-BOM Rev. A-03, ASME Calculations, and Quality API Spec Q1 and ISO 9001:2008.

DECLARATION:

I Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

[Handwritten signature]

Declared before me at

Oklahoma City, OK

This 20th day of

May AD 2015

Commissioner of Oaths or Notary Public: (sign)

[Handwritten signature]



This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of activation.
CRN: 0C15620.2
FID#: 2908
Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.
PROVINCE OF PRINCE EDWARD ISLAND
ENVIRONMENT, LABOUR & JUSTICE
C.R.N. 0C15620.29
DATE: June 5, 2015
Jennifer McCabe
INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH
Sect. 1.0 - Fittings Rev. 1 06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: KIMRAY, INC.
MANUFACTURERS ADDRESS: 52 N.W 42nd Street Oklahoma City, OK 73118 U.S.A (405) 525-6601
PLANT LOCATIONS: Oklahoma City
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
C Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
H Pressure retaining components that do not fall into one of the above categories
N Nuclear components: Class 1 Class 2 Class 3, (Meeting CNSC or ASME requirements)
TITLE OF THE STANDARD OF CONSTRUCTION
ASME B31.3-2012 & B18.34-2013
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT
KIMRAY INC.
TYPE OF CONSTRUCTION
FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:
2-8" Steel Low Press Motor Valves
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
Drawings CRN091214 Rev. A-03, CRN091214-CODE Rev. A-03, CRN091214-BOM Rev. A-03, ASME Calculations, and Quality API Spec Q1 and ISO 9001:2008.

DECLARATION:

I Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
Declared before me at Oklahoma City, OK
This 20th day of May AD 2015
Commissioner of Oaths or Notary Public: (sign) [Signature]



This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.
CRN: 0C15620.2
FID#: 2908
Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.
BOILER & PRESSURE VESSEL
NOVA SCOTIA
Date June 5/15
C.R.N. 0C15620.28
Dwg. as described
Signed Yvonne Perry
1 of 1 Part
ACT & REGULATIONS Sect. 1.0 - Fittings Rev. 1 06/2003