

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 52nd Street	
PLANT LOCATIONS: Oklahoma City, Oklahoma	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> ASME B16.34, B16.5, B31.3 and BPVC Section VIII Div. 1.
<p align="center">SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div style="text-align: center; font-size: 2em; font-weight: bold; margin: 10px 0;">KIMRAY</div> <div style="text-align: center; font-size: 0.8em; margin: 0 0 0 20px;">INC. ®</div>	<p align="center">TYPE OF CONSTRUCTION</p> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: Valve: 2" Piston Balanced High Pressure Motor Valve.
<p align="center">LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> Engineer Drawings, Design Consideration and ASME Calculations, Material Specification, ISO 9001:2008 Certification.	

DECLARATION:

I, Thomas Hill (999 note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI (Man. Svstem) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: _____

Declared before me at _____

This 9th day of November AD 2011

Commissioner of Oaths or Notary Public: (sign) _____

[Handwritten Signature]
[Handwritten Signature]
[Handwritten Signature]



USE THIS SPACE FOR OFFICIAL USE

<p align="center">This space for Regulatory Authority use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>OC10903.2</u></p> <p>FID#: <u>2908</u></p> <p>Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<p align="center">ACCEPTED</p> <p align="center">PROVINCE OF PRINCE EDWARD ISLAND ENVIRONMENT, ENERGY & FORESTRY</p> <p align="center">C.R.N. <u>OC10903.29</u></p> <p align="center">DATE: <u>Jan 20 12</u></p> <p align="center"><i>[Handwritten Signature]</i></p> <p align="center">INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH Sect. 1.0 - Fittings Rev. 1 06/2003</p>
--	---


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>KIMRAY, INC.</u>	
MANUFACTURERS ADDRESS: <u>52 N.W 52nd Street</u>	
PLANT LOCATIONS: <u>Oklahoma City, Oklahoma</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B16.34, B16.5, B31.3 and BPVC Section VIII Div. 1.</p>
<p align="center">SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div style="text-align: center;">  </div>	
<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: Valve: 2" Piston Balanced High Pressure Motor Valve.</p>	
<p align="center">LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>Engineer Drawings, Design Consideration and ASME Calculations, Material Specification, ISO 9001:2008 Certification.</p>	

DECLARATION:

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI (Man. System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: _____

Declared before me at _____

This 9th day of November AD 2011

Commissioner of Oaths or Notary Public: (sign) _____

[Handwritten Signature]
[Handwritten Signature]
[Handwritten Signature]

USE THIS OFFICE



This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance

CRN: 0C10903.2

FID#: 2908

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

GOVERNMENT OF
 NEWFOUNDLAND
 AND LABRADOR
 Department of
 Government Services

Registered 0C10903.20
 Date 2012/1/26

GOVERNMENT SERVICES CENTRE
 Engineering and Inspection Services

Registered by *[Signature]*

UNDER THE AUTHORITY OF THE
 PUBLIC SAFETY ACT AND
 THE BOILER AND PRESSURE VESSEL AND
 COMPRESSED GAS REGULATIONS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.

MANUFACTURERS ADDRESS: 52 N.W 52nd Street


PLANT LOCATIONS: Oklahoma City, Oklahoma

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuelble plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION:
ASME B16.34, B16.5, B31.3 and BPVC Section VIII Div. 1:

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT




TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:
Valve: 2" Piston Balanced High-Pressure Motor Valve.

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
Engineer Drawings, Design Consideration and ASME Calculations, Material Specification, ISO 9001:2008 Certification.

DECLARATION:
 I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI (Man. System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Kimray Inc.
 This 9th day of November AD 2011
 Commissioner of Oaths or Notary Public: (sign) Nancy C. Rice

USE THIS OFFICE



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance

CRN: OC10903-2

FID#: 2908


Date: Jan 20/12

C.R.N. OC10903-28

Dwg. as described

Signed Yvonne Perry
 Part of 1 of 1

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.




UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 52nd Street	
PLANT LOCATIONS: Oklahoma City, Oklahoma	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34, B16.5, B31.3 and BPVC Section VIII Div. 1.</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	<p>TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: Valve: 2" Piston Balanced High Pressure Motor Valve.</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Engineer Drawings, Design Consideration and ASME Calculations, Material Specification, ISO 9001:2008 Certification.</p>	

DECLARATION:

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI (Man. System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Kimray Inc.
 This 9th day of November AD 2011
 Commissioner of Oaths or Notary Public: (sign) Nancy C. Rice



<p>This space for Regulatory Authority BOILER & PRESSURE VESSEL ACT This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>REGISTRATION ONLY</p> <p>CRN: <u>OC10903.2</u></p> <p>FID#: <u>2908</u></p> <p>Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<p>USE THIS SPACE FOR PUBLIC SAFETY</p> <p>CRN <u>OC10903.27</u></p> <p>EXAMINER: <u>[Signature]</u> for CHIEF BOILER INSPECTOR</p> <p>DATE: <u>01/20/2012</u></p> <p><input type="checkbox"/> BLRs <input type="checkbox"/> PVs <input checked="" type="checkbox"/> FITTINGS <input type="checkbox"/> COMPONENTS</p> <p align="right">Sect. 1.0 - Fittings Rev. 1 06/2003</p>
---	--


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>KIMRAY, INC.</u>	
MANUFACTURERS ADDRESS: <u>52 N.W 52nd Street</u>	
PLANT LOCATIONS: <u>Oklahoma City, Oklahoma</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B16.34, B16.5, B31.3 and BPVC Section VIII Div. 1.</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div align="center" style="font-size: 2em; font-weight: bold; margin: 10px 0;">  </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: Valve: 2" Piston Balanced High Pressure Motor Valve.</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Engineer Drawings, Design Consideration and ASME Calculations, Material Specification, ISO 9001:2008 Certification.</p>	

DECLARATION:

I Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by B31 (Man. System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: _____


Declared before me at _____

This 9th day of November AD 2011

Commissioner of Oaths or Notary Public: (sign) _____

[Handwritten signatures: Thomas Hill and Nancy C. Rice]

USE THIS SPACE FOR OFFICIAL USE



This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance	
CRN: <u>0C10903.2</u>	
FID#: <u>2908</u>	
<p>Notes:</p> <ol style="list-style-type: none"> All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. 	
Sect. 1.0 - Fittings Rev. 1 06/2003	

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.

MANUFACTURERS ADDRESS: 62 N.W 52nd Street

PLANT LOCATIONS: Oklahoma City, Oklahoma

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY.

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers

B Flanges: all flanges

C Valves: all line valves

D Expansion joints, flexible connections, and hose assemblies: all types

E Strainers, filters, separators, and steam traps

F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters

G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs

H Pressure retaining components that do not fall into one of the above categories

N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION:
ASME B16.34, B16.5, B31.3 and BPVC Section VIII Div. 1.

TYPE OF CONSTRUCTION:
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:
Valve: 2" Piston Balanced High Pressure Motor Valve.

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

KIMRAY
INC.

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
Engineer Drawings, Design Consideration and ASME Calculations, Material Specification, ISO 9001:2008 Certification.


DECLARATION: I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI (Man. System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Kimray Inc.

This 9th day of November AD 2011

Commissioner of Oaths or Notary Public: (sign) Nancy C. Rice



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from [Date] of acceptance.

CRN: 0010903.2

FID#: 2908

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Northwest Territories REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.


C.R.N. 0010903.21
 SIGNED [Signature]
 DATE Jan 27/2012

\$75.00

Encl. 1.0 - Fittings Rev. 1 06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: <u>KIMRAY, INC.</u>	
MANUFACTURERS ADDRESS: <u>62 N.W 62nd Street</u>	
PLANT LOCATIONS: <u>Oklahoma City, Oklahoma</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel/oil plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B16.34, B16.5, B31.3 and BPVC Section VIII Div. 1.</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: Valve: 2" Piston Balanced High Pressure Motor Valve.	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
Engineer Drawings, Design Consideration and ASME Calculations, Material Specification, ISO 9001:2008 Certification.	

DECLARATION:

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BQI (Man. System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at [Signature]

This 9th day of November AD 2011

Commissioner of Oaths or Notary Public: (sign) [Signature]

USE THIS SPACE FOR OFFICIAL USE



This space for Regulatory Authority

This registration must be revalidated after ten (10) years from the date of acceptance

CRN: OC10903.2

FID#: 2908

Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

NUNAVUT

Boilers and Pressure Vessels Act

REGISTERED

CRN OC 10903.2N

Date Jan 20, 2012

Signed [Signature]
Chief Inspector

Territorial Registrar Fee 15.00