

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: KIMRAY, INC.
MANUFACTURERS ADDRESS: 52 N.W 42nd Street
PLANT LOCATIONS: Oklahoma City, Oklahoma
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY
TITLE OF THE STANDARD OF CONSTRUCTION ASME BPVC Section VIII Div. 1
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT
TYPE OF CONSTRUCTION FORGED [ ] WELDED [ ] WROUGHT [ ]
CAST [ ] OTHER [ ]
DESCRIBE OTHER: 1/4" NPT Bleed Valve (BV)
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
Main Assembly Drawings, Parts Drawings, ASME Calculations, Material Construction Specification and ISO 9001:2008 Certified Certificate.

DECLARATION:

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought.

Signature of Declarer: [Signature]
Declared before me at [Signature]
This 17th day of November AD 2011
Commissioner of Oaths or Notary Public: (sign) Nancy C. Rice

USE THIS SPACE FOR OFFICIAL



This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.
CRN: OH11993.2
FID#: 2908
Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.
Sect. 1.0 - Fittings Rev. 1 06/2003

ACCEPTED
PROVINCE OF PRINCE EDWARD ISLAND
ENVIRONMENT, LABOUR & JUSTICE

C.R.N. OH 11993.29

DATE: Feb 10 12

INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>KIMRAY, INC.</u>	
MANUFACTURERS ADDRESS: <u>52 N.W 42nd Street</u>	
PLANT LOCATIONS: <u>Oklahoma City, Oklahoma</u>	
<p><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  <input checked="" type="radio"/> H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p><b>TITLE OF THE STANDARD OF CONSTRUCTION</b>                  ASME BPVC Section VIII Div. 1</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>KIMRAY</b> INC.®</p>	<p><b>TYPE OF CONSTRUCTION</b>                  FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:                  1/4" NPT Bleed Valve (BV)</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>                  Main Assembly Drawings, Parts Drawings, ASME Calculations, Material Construction Specification and ISO 9001:2008 Certified Certificate.</p>	

**DECLARATION:**

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by PSI (Man. System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Kimray, Inc.  
 This 17<sup>th</sup> day of November AD 2011  
 Commissioner of Oaths or Notary Public: (sign) Nancy C. Rice

USE THIS SPACE FOR OFFICIAL STATE



<p>This space for Regulatory Authority use</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance</p> <p>CRN: <u>OH11993.2</u></p> <p>FID#: <u>2908</u></p> <p>Notes:                  1. All fittings shall be registered in the name of the Manufacturer.                  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.                  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.                  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<p>GOVERNMENT OF                  NEWFOUNDLAND                  AND LABRADOR                  Department of                  Government Services</p> <p>Registered <u>OH11993.20</u>                  Date <u>2012/2/16</u></p> <p>GOVERNMENT SERVICES CENTRE                  Engineering and Inspection Service</p> <p>Registered by <u>[Signature]</u></p> <p>UNDER THE AUTHORITY OF THE                  PUBLIC SAFETY ACT AND                  THE BOILER, PRESSURE VESSEL,                  COMPRESSED GAS REGULATION, 1995  <small>Sec. 4.06 Fittings Rev. 1 06/2003</small></p>
---	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 42nd Street	
PLANT LOCATIONS: Oklahoma City, Oklahoma	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	TITLE OF THE STANDARD OF CONSTRUCTION ASME BPVC Section VIII Div. 1
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
	FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: 1/4" NPT Bleed Valve (BV)
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Main Assembly Drawings, Parts Drawings, ASME Calculations, Material Construction Specification and ISO 9001:2008 Certified Certificate.	

DECLARATION:

I, Thomas Hill (ann note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI (Man. System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Kimray Inc.  
 This 17th day of October AD 2011  
 Commissioner of Oaths or Notary Public: (sign) Nancy C. Rice

USE THIS SPACE FOR OFFICIAL



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OH11993.2  
 FID#: 2908

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

BOILER PRESSURE VESSEL  
 NOVA SCOTIA  
 Date: Feb. 10/12  
 C.R.N. OH11993.28  
 Dwg. as described  
 Signed: Yvonne Perry  
 of 1 Part 10 of Fittings Rev. 1 06/2003  
 ACT & REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 42nd Street	
PLANT LOCATIONS: Oklahoma City, Oklahoma	
<p><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p><b>TITLE OF THE STANDARD OF CONSTRUCTION</b> ASME BPVC Section VIII Div. 1</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <div style="text-align: center; font-size: 2em; font-weight: bold;">KIMRAY</div> <div style="text-align: center; font-size: 0.8em;">INC. ®</div>	<p><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:                  1/4" NPT Bleed Valve (BV)</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>                  Main Assembly Drawings, Parts Drawings, ASME Calculations, Material Construction Specification and ISO 9001:2008 Certified Certificate.</p>	

**DECLARATION:**

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by PSI (Man. System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Kimray, Inc.  
 This 17<sup>th</sup> day of November AD 2011  
 Commissioner of Oaths or Notary Public: (sign) Nancy C. Rice



<p align="center">This space for Regulatory Authority <b>BOILER &amp; PRESSURE VESSEL ACT</b>                  This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>OH11993.2</u>                  FID#: <u>2908</u></p> <p>Notes:                  1. All fittings shall be registered in the name of the Manufacturer.                  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.                  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.                  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<p align="center"><b>REGISTRATION ONLY</b></p> <p align="center">CRN <u>OH11933.27</u></p> <p>EXAMINER: <u>[Signature]</u>                  for  <b>CHIEF BOILER INSPECTOR</b></p> <p>DATE: <u>02/10/2012</u></p> <p><input type="checkbox"/> BLRs <input type="checkbox"/> PVs  <input checked="" type="checkbox"/> FITTINGS <input type="checkbox"/> COMPONENTS</p> <p align="right">Sect. 1.0 - Fittings Rev. 1 06/2003</p>
---	--

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA-SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.

MANUFACTURERS ADDRESS: 52 N.W 42nd Street

PLANT LOCATIONS: Oklahoma City, Oklahoma

**CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY**

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1  Class 2  Class 3 , (Meeting CNSC or ASME requirements)

**TITLE OF THE STANDARD OF CONSTRUCTION**

ASME BPVC Section VIII Div. 1

**SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT**

**KIMRAY**  
INC.

**TYPE OF CONSTRUCTION**

FORGED  WELDED  WROUGHT   
CAST  OTHER   
DESCRIBE OTHER:  
1/4" NPT Bleed Valve (BV)

**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**

Main Assembly Drawings, Parts Drawings, ASME Calculations, Material Construction Specification and ISO 9001:2008 Certified Certificate.

**DECLARATION:**

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI (Man. System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Kimray, Inc.

This 17th day of November AD 2011

Commissioner of Oaths or Notary Public: (sign) Nancy C. Rice

USE THIS SPACE FOR OFFICIAL



This space for Regulatory Authority use


This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OH11993.2

FID#: 2908

**Notes:**

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



Section 3.0.2 Fittings Rev. 1 06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.

MANUFACTURERS ADDRESS: 52 N.W. 42nd Street

PLANT LOCATIONS: Oklahoma City, Oklahoma

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: all line valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers, filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 N Nuclear components: Class 1  Class 2  Class 3  (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION  
ASME BPVC Section VIII Div. 1

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

**KIMRAY**  
INC.

TYPE OF CONSTRUCTION  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:  
 1/4" NPT Bleed Valve (BV)

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:  
 Main Assembly Drawings, Parts Drawings, ASME Calculations, Material Construction Specification and ISO 9001:2008 Certified Certificate.

DECLARATION:  
 I, Thomas Hill (two name S) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by PSI (Man. System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Kimray, Inc.  
 This 17<sup>th</sup> day of September AD 2011  
 Commissioner of Oaths or Notary Public: (sign) Nancy C. Rice

USE THIS SPACE FOR OFFICIAL NOTARIAL SIGNATURE



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of issuance.

CRN: OH11993.2

FID#: 2908

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Northwest Territories REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.

C.R.N. OH11993.2T  
 SIGNED [Signature]  
 DATE Feb 10 2012

\$175.00

0 - Fittings Rev. 1 05/2003


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 42nd Street	
PLANT LOCATIONS: Oklahoma City, Oklahoma	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	
TITLE OF THE BY-LAW OR THE CONSTRUCTION ASME BPVC Section VIII Div. 1	
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: 1/4" NPT Bleed Valve (BV)	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Main Assembly Drawings, Parts Drawings, ASME Calculations, Material Construction Specification and ISO 9001:2008 Certified Certificate.	

DECLARATION:

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI (Man. System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath

Signature of Declarer: [Signature]  
Declared before me at Kimray, Inc.  
This 17th day of November AD 2011  
Commissioner of Oaths or Notary Public: (6/9n) Nancy C. Rice

USE THIS SPACE FOR OFFICIAL SIGNATURE



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0H11993.2  
FID#: 2908

Notes:  
1. All fittings shall be registered in the name of the Manufacturer  
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

**NUNAVUT**  
Boilers and Pressure Vessels Act

**REGISTERED**

CRN: 0H11993.2N  
Date: FEB 26, 2012  
Signed: [Signature]  
Chief Inspector

Territorial Registration Fee