

November 30, 2010

**Attention:** Mark Priest  
KIMRAY, INC.  
52 NW 42 STREET  
OKLAHOMA CITY, OK 73118

The design submission, tracking number 2010-05094, originally received on August 25, 2010 was surveyed and accepted for registration as follows:

**CRN :** 0C10903.2 **Accepted on:** November 30, 2010

**Reg Type:** New Design **Expiry Date:** November 30, 2020

**Drawing No. :** CRN10205 Rev OCT 9/10 As Noted

**Fitting type:** 2" HPMV PB SERIES, SCREW AND 150-1500 FLANGE CLASS

**The registration is conditional on your compliance with the following notes:**

*This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

- Materials not listed in ASME B16.34 are excluded. SA-395 is excluded from this registration.
- Maximum operating temperature is 450F.
- In the future, please ensure that your calculations account for the shear strength of materials, as opposed to just the tensile strength.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3356 or fax (780) 437-7787 or e-mail [sterling@absa.ca](mailto:sterling@absa.ca).

Sincerely,



STERLING, CAMERON, P. Eng.