



the pressure equipment safety authority

9410 - 20 Ave N.W.

Edmonton, Alberta, Canada T6N 0A4

Tel: (780) 437-9100 / Fax: (780) 437-7787

July 19, 2013

**Attention:** James Schlecht  
KIMRAY, INC.  
52 NW 42 STREET  
OKLAHOMA CITY, OK 73118

The design submission, tracking number 2013-01979, originally received on March 18, 2013 was surveyed and accepted for registration as follows:

**CRN :** 0H13594.2 **Accepted on:** July 19, 2013  
**Reg Type:** New Design **Expiry Date:** July 19, 2023

**Drawing No. :** CRN13059 Rev A-01+ As Noted

**Fitting type:** PNEU LVL SWITCH

Description	MAWP	Design Temperature	MDMT
INTERNAL PRESSURE FLUID S	13790kPa	204 °C	-29 °C
INTERNAL PRESSURE PNEUM.	207kPa	204 °C	-29 °C

**The registration is conditional on your compliance with the following notes:**

*This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

- Per your email, the hydrostatic test pressure on the fluid side of each unit shall be 2694 psig, and the drawing will be revised accordingly.
  - Fluid side MAWP supported by witnessed proof test done separate from pneumatic component.
- [Amended] Code of construction is Section VIII-1 2011 Addenda, and the drawing will be revised accordingly.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

Sincerely,

STERLING, CAMERON, P. Eng.