

[View this product on Kimray.com](#)

CNJL6S6F GENIILLC2600RFLH VRT L6 S6FLT

Liquid Level Control | Gen II Liquid Level
Controller

2" 600 RF

Operation: **Pneumatic**

Pilot Type: **Vent**

Left Hand Side Mount

Vertical Displacer

Options Included In This Model:

- Displacer or Float Material: **Stainless Steel**
- **6" Arm Extension**



Field-selectable between snap and throttle level control (span of levels vs holding consistent level). Also, field reversible between direct and indirect output signal. These controllers are great for interfacing (sensing and holding a level between two different specific gravity liquids in a tank). Several different displacer options available to handle an array of different possible conditions: small differential liquid specific gravities, high temperature, corrosion, large span, small tank diameters, and small access openings. Easily switch from Vertical to Horizontal displacer orientation.

Specifications

Connection Size: **2 "**

Connection Type: **600 RF**

Body Material: **Steel**

NACE MR0175 Compliant

Pilot Type: **Vent**

Pilot Output: **Direct or Indirect (Field-selectable)**

Max. Working Pressure: **1480 psig**

Mounting Orientation: **Left Hand Side Mount ***

** Right Hand means if looking at the front panel of the Gen II, it mounts on the right hand side of the vessel, and vice versa for Left Hand.*

Displacer Orientation: **Vertical**

Operation: **Pneumatic**

Catalog Page: **C1:10.2**

Repair Kit P/N: **RMD**