New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Islan Northwest Territories	
Manufacturers Na	me' Kimmy loc	·	
Manufacturers Add	dress: 52 N.W 42nd Street	**	
Plant Locations: 0k	lahoma City, OK	TO A COLUMN TO THE RESIDENCE OF THE PARTY OF	
A Pipe fittings, including B Flanges: all flanges	na couplings, tees, elhows, V	tered. Circle опе Category ('s, plugs, unions, pipe caps, or red	only Title of the Standard of Gonstruction
C Valves: all line valve	19		ASME B31.3-2018 /
i c buainers, lillers, ser	exible connections, and hose parators, and steam traps		B16.34-2017
F Measuring devices, transmitters	including pressure gauges, l	evel gauges, sight glasses, levels,	or pressure
G Certified capacity-rat	led pressure relief devices ar	cceptable as primary over pressur	e protection on
H Pressure retaining c	isels, piping and fusible plug components that do not fall in	s to one of the above categories	
N Nuclear components	s: Class 1 D Class 2 D C	lass 3 🛘 , (Meeting CNSC or ASI	ME requirements)
Show Manufacture	rs Name, Trademark, or	Logo as it will appear on the	
	WILLIAM.	AXF	Forged o Welded o Wrought o
	NIMK	AY .	Describe other:
	Carrie.		2" HPCV PB
List of supporting o	ocumentation and iden	tification of the actual items	to be registered:
9001:2015 Certi	ig, Design Conside fication and API Sp	eration, ASME Calculat secification Q1.	ions, Material Specification, ISO
ratings, and identificati fittings is regulated by verified by 180 8001;2013	on markings are in accordance Quality Control Program	dance with the herein named and which extends to each plant	and being the person having full authority ne information contained in this form is true to the best of mensions, materials of construction, pressure temperature standards. I further declare that the manufacture of these where fabrication occurs in whole or in part and has been se and I make this solemn declaration conscientiously made under oath.
Declared before me at	OKLAHOMH C	TV OKLAHOMA	MA MILLET MAN
This 15th day	OF DECEMBER A	7070	The this space for the Official Seal
Commissioner of Oath		# 131	0004702
Or Notary Public: (sign		B. Jalon	00/15/22) \$
or Hotary , dono. (algri	(Affix Official seal to th		sekulima ka
	This registration mus	This space for Regulatory Auth	ority use.
CRN: 0C15019.2	2 Add2	st be revalidated after ten (10) year	its from the date of acceptance.
2908	the selection of the se		ACCEPTED
FID#:			PROVINCE OF PRINCE EDWARD ISLAND
Notes:			COMMUNITIES, LAND & ENVIRONMENT
	glatered in the name of the Menu	ufacturer,	C.R.N. OC 15019.29 Ald 2
Each Category shall be and one copy of support	e supported with two Statutory E orling documentation.	Declaration forms	DATE: \ an \ 3000
3. The Dadgrafton shall	be made by the person having fo	ull authority and	900 0 00 0 00 00 00 00 00 00 00 00 00 00
responsibility for the q	uality of the end product.		Lean 1 MCC-La
Scope is to add the	ms shall be resubmitted for valle 2" HPCV PB valves t 000psi; Cl.150, 300,6 8th, 2024 - DG	o the existing	INSTECTION STRUCCOS SESCIEDANINGS Rev.2 BOLLER VILLESTINE VESSEL BRANCH

New Brunswick

Nova Scotia

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Nar	De: Kimen Inc		
Manufacturers Add	ICESS; 52 N.W 42nd Street		
Plant Locations; ow	ahome City, OK		
Categor A Pipe fittings, includin B Flanges; all flanges	y of Fittings to be regis g couplings, tees, elbows, Y	tered. Circle one Category only 'a, plugs, unions, pipe caps, or reducer	Title of the Standard of Construction
C Valves; all line valve	•		ASME B31.3-2018 /
E Strainers, Titters, sep	dble connections, and hose arators, and steam traps		B16.34-2017
transmittera		avel gauges, sight glasses, levels, or p	
G Certified capacity-rate	ed pressure relief devices at sels, piping and fusible plug	cceptable as primary over pressure pro	dection on
H Pressure retaining co	imponents that do not fall in	to one of the above categories	
N Nuclear components	: Class 1 🗆 Class 2 🗖 C	lass 3 🗆 , (Meeting CNSC or ASME re	equirements)
Show Manufacturer	s Name, Trademark, or	Logo as it will appear on the pro	duct Type of Construction
	TITEL AND	43.7	Forged o Welded o Wrought o
	NIMIKA	AY	Describe other:
	MICH I M C.		2" HPCV PB
List of supporting d	ocumentation and iden	tification of the actual items to b	oe registered:
			s, Material Specification, ISO
Declaration:			
Duein Hayt and responsibility for the my knowledge represes ratings, and identificatio fittings is regulated by a verified by uso sources	e quality of the end prod nts the product for which on markings are in accon a Quality Control Program as	registration is sought. The dimens dance with the herein named stand in which extends to each plant whe	and being the person having full authority formation contained in this form is true to the best of sions, materials of construction, pressure temperature diards. I further declare that the manufacture of these re fabrication occurs in whole or in part and has been d I make this solemn declaration conscientiously e under oath.
Declared before me at	OKLAHOMH CO	TY OKLAHOMA	•
This day	OF DECEMBER A	2020 4014	this space for the Official Seal
Commissioner of Oaths	7 95	of (DO, DU15	(3) (22)
Or Notary Public: (sign)	(Affix Official seal to th	e right)	
		This space for Regulatory Authority	USF.
CRN: 0C15019.2	Add2 This registration must	the musidated after to 1400	The state of the s
2908	INTO PARTICIONATO	to be revaluated after ten (10) years in	MOVA SCOTTA
FID#:	ORDER CONTRACTOR OF THE PARTY O	And the second s	Late C - C M
Notes: 1. All Fittings shall be red	latered in the name of the Manu	C.R.N.	OCISOISIO
	supported with two Statutory (LIMIT	as describ
3. The Declaration shall b	neng documentation. he made by the person having fu wilty of the end product.	all authority and	from Perry
4. Quality Control program	ma shall be resubmitted for valid	letton.	101
Scope is to add the	2" HPCV PB valves t 000psi; Cl.150, 300,6	o the existing 00 & 1500	Part & REGULATIONS Sect 1.0 - Fittings Rev.2

New Brunswick

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edwar Northwest Te		Newfoundland and Labrador		
	Tukon	Northwest re	intones			
Manufacturers Name: Kimray, Inc.						
Manufacturers Addres Plant Locations: Oklahom						
		tered. Circle one Cat	ogon, only	Title of the Other Land		
B Flanges: all flanges	ouplings, tees, elbows, Y	s, plugs, unions, pipe cap	os, or reducers	<u>Title of the Standard of</u> <u>Construction</u>		
C Valves: all line valves D Expansion joints, flexible	connections and boso	accompliant all types		ASME B31.3-2018 /		
E Strainers, filters, separat	ors, and steam traps	2.7		B16.34-2017		
F Measuring devices, inclu transmitters	ding pressure gauges, le	evel gauges, sight glasse	s, levels, or pressure			
G Certified capacity-rated p	ressure relief devices ac	cceptable as primary over	pressure protection on			
boilers, pressure vessels H Pressure retaining comp	, piping and fusible plug onents that do not fall in	s to one of the above cated	ories			
		37				
N Nuclear components: C Show Manufacturers N	ame. Trademark. or	Logo as it will appea	r on the product	Type of Construction		
			Ton the product	Forged Welded Wrought	0	
	KIMDA			Cast Other Describe other:		
	TIALLY	4				
11-4-6		•		2" HPCV PB		
List of supporting docu						
Engineer Drawing,	Design Conside	eration, ASME Ca	Ilculations, Mate	erial Specification, ISO		
9001:2015 Certifica	ation and API Sp	ecification Q1.				
Declaration:		Vienes.				
Dustin Hayt and responsibility for the o	(see note 3) (employed by Kimray,	A that the information	and being the person having full author contained in this form is true to the be	ority	
my knowledge represents	the product for which	registration is sought.	The dimensions ma	aterials of construction proceure tomos	ratura	
ratings, and identification f	narkings are in accor	dance with the herein i	named standards I f	urther declare that the manufacture of	those	
Verified by 180 9001:2015	a	being suitable for that	t purpose and I make	ation occurs in whole or in part and has this solemn declaration conscientious	been	
believing it to be true, and	knowing that it is of the	ne same force and effe	ct as if made under o	path.	n y	
Signature of Declarer:	West Lan					
Declared before me at	KLAHOMH C	TY OKLAHOMA				
	DECEMBER A		SEMY D.	Sendo Official		
	DOCEMBEL A	0 2020	# 10004702	space for the Official Seal		
Commissioner of Oaths	7	R	Ø EXP. 08/15/22	UNSWICK		
Or Notary Public: (sign)	e/anny	200	OF S	JUSTICE PUBLIC SAFETY		
/	(Affix Official seal to the	e right)		PRESSURE VESSELACT		
	This registration was	This space for Regula	ory Authority use.	OLOTO ATION ONLY		
CRN: 0C15019.2 A	.dd2	This space for Regular st be revalidated after ter	(10) years from the da	tel of acceptance. UNLY		
2908	_		CRN	C15019, 2+Add2		
FID#:			0			
Notes:			K	a Cran		
	red in the name of the Man		CHIEF	BOILER INSPECTOR		
Each Category shall be su and one copy of supporting	pported with two Statutory good	Declaration forms	OTTL	1/9/21		
 The Declaration shall be n responsibility for the qualit 	nade by the person having t	ull authority and	DATE.	1/0/21		
4. Quality Control programs :	shall be resubmitted for vali	dation.				
Scope is to add the 2"			□BLRs	PVs Sect 1.0 - Fittings Rev.2		
registration. Up to 400 CRN expires Nov.18th	1, 2024 - DG	000 & 1500	COCITTALOG	ETALLOL CAD COMPONENTS		
			FITTINGS	□ NUCLEAR COMPONENTS		

New Brunswick Nunavut	Nova Scotia	Prince Edward Island	Newfoundland and Labrador		
Ivuliavut	Yukon	Northwest Territories			
Manufacturers Nam	e: Kimray, Inc.				
Manufacturers Addr Plant Locations; Okla	'ess; 52 N.W 42nd Street				
Category	of Fittings to be register	ed. Circle one Category only	Title - F		
A Pipe fittings, including B Flanges: all flanges	couplings, tees, elbows, Ys,	plugs, unions, pipe caps, or reducers	Title of the Standard of Construction		
C Valves: all line valves			ASME B31.3-2018 /		
E Strainers, filters, sepa	ble connections, and hose ass	semblies: all types	B16.34-2017		
F Measuring devices, inc	cluding pressure gauges, leve	gauges, sight glasses, levels, or pressur	B10.34-2017		
G Certified capacity-rated	d pressure relief devices acco	ptable as primary over pressure protection			
Duners, pressure vess	els. Diding and hisible blune		n on		
	nponents that do not fall into	A SECOND			
N Nuclear components:	Class 1 Class 2 Class	3 ☐ , (Meeting CNSC or ASME requirer	ments)		
Onow manufacturers	Name, Trademark, or Lo	go as it will appear on the product			
Total Control	WILL ADA		Forged D Welded D Wrought D Cast D Other D		
	NMKA	Y	Describe other:		
	THE REAL PROPERTY.	7 6	2" HPCV PB		
List of supporting do	cumentation and Identifi	cation of the actual items to be rec	istered:		
Engineer Drawing	g, Design Considera	tion, ASME Calculations, M	aterial Specification ISO		
9001:2015 Certific	cation and API Spec	cification Q1.	atorial opecification, 180		
		- Control of the Cont			
	*				
Declaration:		***			
and responsibility for the	quality of the and product	ployed by Kimray, Inc.	and being the person having full authority		
			and being the person having full authority ation contained in this form is true to the best of materials of construction, pressure temperature		
verified by ISO 9001:2015	adding Control Flogram w	sing suitable for that purpose and I m	prication occurs in whole or in part and has been		
believing it to be true, an	d knowing that it is of the	ame force and effect as if made und	er oath.		
Signature of Declarer:	Musta Sat	and the second s			
Declared before me at	OKLAHOMU CAT	ORLAHOMA			
		DEMY D.	6LI		
A Company space for the Office Seal					
Commissioner of Oaths		EXP. 08/15/22			
Or Notary Public: (sign)	A Commence of the Commence of				
	(Affix Official seal to the rig				
	This registration must be	his space for Regulatory Authority use.	date of acceptance		
CRN: 0C15019.2	Add2	e revalidated after ten (10) years from the	Newfoundland		
2908	7 200 A01 C		Labrador		
FIU#:			Service NL		
Notes: 1. All Fittings shall be regis.	tered in the name of the Manufaci		Registered OC 15019. 20 April 2		
	supported with two Statutory Deci-		Date21/01/08		
and one copy of support	ng documentation.		Engineering and Inspection Services		
 The Declaration shall be responsibility for the qual 	made by the person having full ar lity of the end product.	uthority and	Registered by A. M.		
4. Quality Control programs	shall be resubmitted for validation	n.	UNDER THE AUTHORITY OF THE		
Scope is to add the 2	" HPCV PB valves to t 00psi; Cl.150, 300,600	he existina	PUBLIC Sector Of Antispass Rev. 2		
CRN expires Nov.18t	th, 2024 - DG	a 1500	THE BOILER, PRESSURE VESSEL AND		
			COMPRESSED GAS REGULATIONS		

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edwa Northwest To		Newfoundland and Labrador
	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	· · · · · · · · · · · · · · · · · · ·		
Manufacturers Name				
Manufacturers Addre				
Plant Locations: Oklaho	f Fittings to be regist	arad Cirola ana Ca		
B Flanges: all flanges	ouplings, tees, elbows, Ys	s, plugs, unions, pipe ca	aps, or reducers	<u>Title of the Standard of</u> <u>Construction</u>
C Valves: all line valves D Expansion joints, flexible	a connections and here			ASME B31.3-2018 /
E Strainers, filters, separa	tors, and steam traps			B16.34-2017
F Measuring devices, inclu	iding pressure gauges, le	vel gauges, sight glass	es, levels, or pressure	
transmitters G Certified capacity-rated				
pollers, pressure vessels	s, piping and fusible plugs			on
H Pressure retaining comp	onents that do not fall into	o one of the above cate	gories	
N Nuclear components: (Class 1 🗆 Class 2 🗖 Cla	ass 3 🔲 , (Meeting CNS	C or ASME requirem	ents)
Show Manufacturers N	lame, Trademark, or L	ogo as it will appe	ar on the product	Type of Construction
	TPWA AND A			Forged D Welded D Wrought D
	KIMDA			Cast D Other D Describe other:
	" ATATEL	71		
				2" HPCV PB
List of supporting doc		The second state of the second		
Engineer Drawing,	Design Consider	ration, ASME C	alculations, Ma	aterial Specification, ISO
9001:2015 Certific	ation and API Spe	ecification Q1.	A STATE OF THE PARTY OF THE PAR	-Fedination 100
	55	17.2. Martin Construction Const		
Doologettan				
Declaration:	(aria nata 2) Or	mployed by Kimray,	Inc	
and responsibility for the c	uality of the end produ	ct do solemniy decla	re that the informat	and being the person having full authority ion contained in this form is true to the best of
illy knowledge repleselits	the broduct for which r	edistration is solidat	The dimensions	materials of construction
aurigo, and identification	narkings are in accord	ance with the perein	named standards	further declare that the manufacture of the
verified by 180 9001:2015	uality Collifor Program	heing suitable for the	ch plant where tabl	rication occurs in whole or in part and has been ake this solemn declaration conscientiously
believing it to be true, and	knowing that it is of the	ame force and eff	ect as if made unde	er oath.
Signature of Declarer:	1/1/1/1/17	<i></i>		
	Man May			
Declared before me at	KLHWOMH CUT	Y. OKLIAHOMA	EMY O. A	
This day of _	DECEMBER AD	2020	SHOTAN	his space for the Official Seal
Commissioner of Oaths	7 90		Ø 10004793 EXP. 08/15/22	
Or Notary Public: (sign)	(Bin	Z Owner S	
/	(Affix Official seal to the	1100	OF OKLAT	
	(Amx Official seal to the	and the first of the same of t	A STATE OF THE PARTY OF THE PAR	
	This registration must	This space for Regula	tory Authority use.	dalore
CRN: 0C15019.2 A	dd2	DO TOTALIGATED ATTEMPT	I (10) years nom me	dance of acceptance.
2908	_		10	N. J.
FID#:	_		1.87	
Notes:			10%	
	red in the name of the Manufa		10/ 8	7
Each Category shall be su and one copy of supporting	pported with two Statutory De	aclaration forms		7
The second secon		authority and	CR	0C15019.2Y ADD2
responsibility for the quality	ade by the person having full of the end product.	authority and		
4. Quality Control programs s	hall be resubmitted for valida	tion.	1 1 ~	ATE 01/12/2021
Scope is to add the 2"	HPCV PB valves to	the existing	1 10	Sect 1:0 - Fittings Rev.2
registration. Up to 400 CRN expires Nov.18th	upsi; Cl.150, 300,60	DU & 1500	1 1	
OLUM EXPILES MONTORI	, 2027 - DG		10	(4)

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Na	ne: Kimray, Inc.		
Manufacturers Add	TBSS: 52 N.W 42nd Street		
Plant Locations: ON	shome City, OK		
A Dice Stillness Inches	y of Fittings to be regist	ered. Circle one Category only	
B Flances: all flances	a modernings, roces, capaws, 15	ered. Circle one Category only s, plugs, unions, pipe caps, or reducers	Title of the Standard of
C Valves: all line valve			Construction
E Strainers Steer and	dble connections, and hose a	essemblies: all types	ASME B31.3-2018 /
F Measuring devices.	arators, and steam traps	vel gauges, sight glasses, levels, or pressu	
transmitters	remark by cooper o danges, 16.	vei gauges, sight glasses, lavels, or pressi	ile
bollers pressure year	d pressure relief devices acc els, piping and fusible plugs	captable as primary over pressure protection	00.00
H Pressure retaining co	mponents that do not fall for	one of the above categories	
N Nuclear components	Class 4 El Di	orie of the above categories	
Show Manufacturer	Namo Trademark	ass 3 [] , (Meeting CNSC or ASME require	ements)
	risine, trademark, or L	ss 3 LJ , (Meeting CNSC or ASME require oqo as it will appear on the produc	Type of Construction
	THE ART A	* *	Forged o Welded o Wrought o
	NIMIZA	A Y	Cast D Other D Describe other:
	THE PARTY OF THE P	A C	
List of supporting de	Cursosfelles - 111		2" HPCV PB
	nuent and identi	fication of the actual Items to be re ation, ASME Calculations, N	gistered:
ings is regulated by a rified by soson:2015 lleving it to be true, ar gnature of Declarer:	duality of the end products the product for which read markings are in accorda Quality Control Program as a discovery when the control program as the control program as the control program as the control product is of the	ince with the herein named standards	and being the person having full authority alion contained in this form Is true to the best of , materials of construction, pressure temperature . I further declare that the manufacture of these brication occurs in whole or in part and has been take this solemn declaration conscientiously fer oath.
clared before me at _	OKLAHOMH COT	Y. OKLAHOMA	
is day o	DECEMBER AD	ELIY O	this enece for the own :
mmissioner of Oaths	1	# /# sooruma	this space for the Official Seal
Notary Public: (sign)	1	E (50, 08/18/22)	
A man (milling)	I have out to	The state of	
	(Afflx Official seal to the ri	The state of the s	
	This make to the	This space for Regulatory Authority use.	
	Add2 registration must b	pe revalidated after ten (10) years from the	
D#:2908			Northwest Jerritories
Nes:		/	1000
Carb Cules and be regist	ered in the name of the Manufac	turer.	REGISTERED
each Category shall be a and one copy of supportion	upported with two Statutory Decl	aration forms	NDER THE AUTHORITY OF
The Declaration shall be responsibility for the qual-	made by the person having full a ty of the end product.	uthority and	VESSEL ACT
Quality Control programs Ope is to add the 2	shall be resubmitted for velidation HPCV PB valves to to 100si: Cl 150, 300, 600	he existing	C.R.N. OCISO19. 2 J MODE SIGNED 2 ZOTATE THINGS POV.2
expired 140v. 10ti	1, 2024 - DG		WIE OUND YOU

New Brunswick	Nova Scotia	Prince Edward Island	Newfoundlend
Nunavut	Yukon	Northwest Territories	Newfoundland and Labrador
Manufacturers Nar	ne: Kimray, Inc.	the same and the s	
Manufacturers Add	FBSS: 52 N.W 42nd Street		
Plant Locations: ON	shome City, OK		
B Flanges: all flanges	g couplings, tees, elbows, Ye	ered. Circle one Category only s, pluga, unions, pipe caps, or reducers	Title of the Standard of Construction
C Valves: all line valves D Expansion loints flev	s dble connections, and hose a		ASME B31.3-2018 /
E OURNIES, INTERS, 8804	Braiors, and steam trane		R16 34-2017
n ar miniffelo		vel gauges, sight glasses, levels, or pro	
G Certified capacity-rate	d pressure relief devices acc	ceptable as primary over pressure prote	ection on
DOUGLO, DICESUIG VESS	ieus. Oldino and nisible blivie	one of the above categories	
		ess 3 [] , (Meeting CNSC or ASME rec	
Show Manufacturers	Name, Trademark, or I	ogo as it will appear on the pro-	The state of the s
	W P W A way	a service appear on the pro-	Forged Welded Wrought
	KIMDA		Cast Other Describe other:
	THE THE PARTY	3.	
List of supporting de	ocumentation and ideat	LT 4	2" HPCV PB
Engineer Description	S 4 S	ification of the actual items to be	registered:
COOM: 2045 Ond's	g, Design Consider	ation, ASME Calculations	, Material Specification, ISO
9001:2015 Certif	ication and API Spe	ecification Q1.	2002A393• 455725
Declaration:			
Dustin Hayt	(see note 3) Or	nployed by Kimray, Inc.	
and responsibility for the	a mustiful of the and amedia	at de salamente de la colonia	and being the person having full authority
ratings and identification	n markings are in negard	and with the beautiful the difficulty	ons, materials of construction, pressure temperature
fittings is regulated by a	Quality Control Program	which extends to each plant when	a fahrication occurs in whole as a sector of these
belleving it to be true as	ag knowing (house to accept	being suitable for that purpose and	I make this solemn declaration conscientiously
	M KIIOWING UNAVILLIS OF THE	same force and effect as if made	under oath.
Signature of Declarer: _	Alustr Hay		
Declared before me at	OKLAHOMH CAT	Y. OKLAHOMA	
This day o	DECEMBER AD	2020 4 10120	this space for the Official Seal
Commissioner of Oaths	1 90	# 10004783	
Or Notary Public: (sign!	1	9 00.00192 23 Auto	5
	(Affix Official seal to the	right)	AU INTO A COLUMN
	The state of the s	This can be seen as a second s	NUNAVUT
0C15019.2	Add? This registration must	be revalidated after ten (10) years from	the date of acceptance. Boilers and
		N	unavut Pressure Vessels Act
FID#: 2908	_		
Notes:			REGISTERED
	stered in the name of the Manufa	clurer. CR	OC15019.2 NAdd2
Each Category shall be and one copy of support	supported with two Statutory De- ing documentation.		January 7,2021
3. The Declaration shall be	made by the person having full		
responsibility for the qua	lity of the end product,	olgi	Michael Lectil
Scope is to add the 2	s shall be resubmitted for validate." HPCV PB valves to	the existing	C Director Safety Safet
registration. Up to 40	/00psi; Cl.150, 300,60	0 & 1500	
CRN expires Nov.18	ui, 2024 - DG		Territorial Registration Fee
			0.000011100