New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Nam	e: Kimray, Inc.		
Manufacturers Addr	ess: 52 N.W 42nd Street		
Plant Locations: oxial	toma City, OK		
8 Flanges; all flanges	of Fittings to be registe couplings, tees, elbows, Ys,	pred. Circle one Category of plugs, unions, pipe caps, or redu	nly <u>Title of the Standard of</u> Icers <u>Construction</u>
G QUEINERS, INTERS, SPRA	ole connections, and hose as ators, and steam trans		ASME B31.3-2018
r Measuring devices, Inc transmitters	luding pressure gauges, lev	el gauges, sight glasses, levels, c eptable as primary over pressure	
		one of the above categories	protection on
N Nuclear components:	Class 1 Class 2 Class	ss 3 🗋 , (Meeting CNSC or ASME	- raci lizamanta)
Show Manufacturers	Name, Trademark, or Lo	ogo as it will appear on the	product Type of Construction
	KIMR	AY	Forged a Welded Wrought D Cast D Cither D Describe other.
	Contrast 1 par c.	6	<b>GENII BM Liquid Level Control</b>
List of supporting doc	umentation and identif	ication of the actual Items to	he registered
tings, and identification	quality of the end product the product for which reg markings are in accordar	ice with the herein named sta	and being the person having full authority information contained in this form is true to the best o ensions, materials of construction, pressure temperatu ndards. I further declare that the manufacture of thes here fabrication occurs in whole or in part and has been
elieving it to be true, and	knowing that it is of the	aing suitable for that purpose and effect as if ma	and I make this solemn declaration conscientiously
gnature of Declarer:		N	ude under astritution in the second data of second data in the second
is 124 day of	Lingust_AD_	2021	#21004800
Motary Public: (sign)	1 2-16	]	ANIC ON
	(Affix Official seal to the hid	int	Man OF OKLASSIN
01144500.0.5	This registration must be	his space for Regulatory Authority a revaildated after ten (10) years t	
RN: 0H11522.2 F	kev1	PI	ROVINCE OF PRINCE EDWARD ISLAND
ID#:	_	CC	OMMUNITIES, LAND & ENVIRONMENT
All Fittings shall be register	enewal. GEN II (c red in the name of the Manufactu	uter.	RN. 0411522.29 Revi
and one copy of supporting			ATE: Sept 9 2021
responsibility for the quality		Billion State	INSPECTION SERVICES SECTION
ack mount liquid l 11/2016 - 20F, -50F	evel controller. 4 to 650F.Dwg.CR	000psi @	BOILER/PRESSURE VESSEL BBAALCH Rev.2
sheets) rev.A-02	CRN expires Aug	g.3, 2031 (DG)	

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Northwest Ten	lsland itories	Newfoundland and Labrador
Manufacturers Nan	Managers Los	Billionna ann an Bhasanna a bhallacha aile daonn an ann agus agu		
Manufacturers Add	ress; 62 N.W 42nd Bireet		anna an	
Plant Locations: or	shome City, OK			
<u>Categori</u> A Pipe fittings, Includin B Flanges: all flanges C Valves; all line valves	of Fittings to be registe couplings, tess, elbaws, Ys,	red. Circle one Cate plugs, unions, pipe caps	or reducers	Title of the Standard of Construction
D Expansion joints, flex E Strainers, filters, sope F Mossuring devices, tr	; ible connections, and hose as arators, and steam traps icluding prossure gauges, leve		levels, or prevenue	ASME B31.3-2018
G Certified capacity-rate bollers, pressure year	d pressure relief devices acco les, piping and fusible plugs imponents that do not fall into	eptable as primary over p	ressure protection o	n
N Nuclear components:	Class 1 Class 2 Clas	18 3 CL Meeting CNSC	A Shir partiruma	nts)
Show Manufacturen	Name, Trademark, or L	needde litwill appear	n the product	Type of Construction
	KIMR	AY		Forged o Welded o Wrought o Cast o Other o Describe other:
	Annual I and C.			GENII BM Liquid Level Controlle
List of supporting do	scumentation and identif	ication of the actual	tems to be reals	terod:
Declaration: Durin Kay Ind responsibility for the V knowledge conneces	a quality of the end province	ployed by Kimray, inc t do solemnity declare	hat the information	_ and being the person having full authority in contained in this form is true to the best of sterials of construction, pressure temperature
ttings is regulated by a	Quality Control Program v	vhich extends to each	ned standards. I plant where fabric	further declare that the manufacture of these ation occurs in whole or in part and has been
ignature of Declarer.	Dusta Hant		NUMBER OF	ONICA VALOUIU
eclared before me at (	Highma all, 1	OK	Le la	HOIME C'
his <u>1274</u> day o	Highora Cill, ( Linguist AD	2021	Bas 1-1	421004800 EXP. 04/08/25
ommissioner of Oaths	-1 7-16	1 -	E ST	
Ir Notary Public: (sign)	-li-			OF OKLANNIN
	(Allin Official seal to the H		**	Manual Che Okening
	This registration must b	This space for Regulatory a revaildated after ten (1	Autromy use.	
CRN: 0H11522.2	Rev1		OTHER ST	A PACIFIC PACI
2908			NO NO	ATTODE AS
	renewal. GEN II (c			11522728REV
2. Each Category shall be	supported with two Stetutory Deci		Dwg. as	described.
and one copy of support 3. The Declaration shall be reaccostivities for the our	made by the person having full a	utionity and	Signed Yuc	nra Perry
Back mount liquid	a shall be resubmitted for validation of the second s	000psi @	ACTON	Part EGULATIONS Sect 1.0 - Fittings Rev.2
3 sheets) rev.A-(	F to 650F.Dwg.CF 2.CRN expires Au	g.3, 2031 (DG)	· R	EGULA

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories		oundland and Labrador
Manufacturers Nan	ne: Kimray, Inc.	and a first and a second s	der (1997), and a descent of the second s	
Manufacturers Add	ress; 52 N.W 42nd Street			
Plant Locations: Okt		ed. Circle one Category o	mhr I	Title of the Otendard of
A Pipe fittings, includin	g couplings, tees, elbows, Ys, I	plugs, unions, pipe caps, or redu	ucers	Title of the Standard of Construction
B Flanges: all flanges C Valves: all line valves	s		A	ASME B31.3-2018
<ul> <li>D Expansion joints, flex</li> <li>E Strainers, filters, separation</li> </ul>	kible connections, and hose ass arators, and steam traps	emblies: all types		Come Borno 2010
F Measuring devices, in transmitters	ncluding pressure gauges, leve	l gauges, sight glasses, levels,	or pressure	
G Certified capacity-rate	ed pressure relief devices acce	ptable as primary over pressure	protection on	
H Pressure retaining co	sels, piping and fusible plugs omponents that do not fall into d	one of the above categories		
		s 3 🗆 , (Meeting CNSC or ASM	E requirements)	
Show Manufacturer	s Name, Trademark, or Lo	go as it will appear on the	product	Type of Construction
				Corged D Welded D Wrought D
	NIMR	AY	E	Describe other:
	Line.	0	0	SENII BM Liquid Level Controller
List of supporting d	ocumentation and Identifi	cation of the actual items	to be registered:	
Kimray CRN Dra	awing, ASME Calcula	tions, Material Speci	fication, API S	pecification Q1 and ISO
9001:2015 Certi	fications.			
Destanti				
Declaration:	(see note 3) AM	ployed by Kimray, Inc.	and h	eing the person having full authority
and responsibility for th	ne quality of the end product	do solemnly declare that th	e information cont	ained in this form is true to the best of
ratings, and identificati	on markings are in accorda	gistration is sought. The din	nensions, materials	s of construction, pressure temperature declare that the manufacture of these
fittings is regulated by	a Quality Control Program v	which extends to each plant	where fabrication of	occurs in whole or in part and has been
verified by 1SO 9001:2015 believing it to be true, a	and knowing that it is of the	eing suitable for that purpos same force and effect as if r	e and I make this s	colemn declaration conscientiously
			MINIONIC	A VAL MILL
Signature of Declarer:	all all	DK.	JULY NOT	ARA
Declared before me at			1 1. #210	04800
	7	2021	EXP	New Shouveau
Commissioner of Oath	1 1 1 6	1.	EXF	
Or Notary Public: (sign	C	<u>}</u>	ROUFE	RESULT PUBLIC SAFETY
	(Affix Official seal to the fi			WININI
		This space for Regulatory Authors revalidated after ten (10) yea		REGISTRATION ONLY
CRN: 0H11522.	2 Rev1	( , , ,	CRN	0H11522,27Revi
2908 FID#:				
	v renewal. GEN II (	cont'd bolow)		an Quant
	gistered in the name of the Manufa		CHI	EF BOILER INSPECTOR
	be supported with two Statutory Dec	laration forms		9/10/21
	orting documentation. be made by the person having full a	authority and	DAT	E
responsibility for the o	uality of the end product.			
	ams shall be resubmitted for validati		BLRs	PVs Sect 1.0 - Fittings Rev.2
	50F to 650F.Dwg.Cl		FITTINGS	
	-02.CRN expires Au			

ł

New Brunswick Nunavut

Nova Scotia Yukon Prince Edward Island Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Konray, Inc.	
Manufacturers Address: 52 N.W 42nd Street	
Plant Locations; Okishoma City, OK	
Category of Fittings to be registered. Circle one Category of A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or red B Flanges: all flanges C Valves; all line valves	Only         Title of the Standard of Construction           ASME B31.3-2018
<ul> <li>D Expansion joints, flaxible connections, and hose assemblies: all types</li> <li>E Strainers, filters, separators, and stearn traps</li> <li>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, transmitters</li> <li>G Certified capacity-rated pressure relief devices acceptable as primary over pressure bollers, pressure vessels, piping and fuelble plugs</li> </ul>	
H Pressure retaining components that do not fail into one of the above categories N Nuclear components: Class 1 Class 2 Class 3 C, (Meeting CNSC or ASI	ME requirements)
Show Manufacturers Name, Trademark, or Logo as it will appear on the	e product Type of Construction
KIMRAY	Forged a Welded B Wrought B Cast D Other B Describe other: GENII BM Liquid Level Controlle
List of supporting documentation and identification of the actual items	to be registered:
Declaration: <u>Dustin Hay!</u> (see note 3) employed by <u>Kimray</u> , inc. und responsibility for the quality of the end product do solemnly declare that t ny knowledge represents the product for which registration is sought. The di atings, and identification markings are in accordance with the herein named ittings is regulated by a Quality Control Program which extends to each plant terified by <u>iso sourcests</u> go being suitable for that purpo- relieving it to be true, and knowing that it is of the same force and effect as if	imensions, materials of construction, pressure temperature standards. I further declare that the manufacture of these t where fabrication occurs in whole or in part and has been so and 1 make this solement declaration consciention by
elieving it to be true, and knowly of har it is of the same force and effect as it ignature of Deciarer:	made under asthering of the second about conscient to start and the second about the secon
Declared before me at Climbora GHB, DK	The thought the
his 12th day of impast AD 2021	Bee # 21004800. EXP. 04/08/25
Commissioner of Oaths	THE AUBLIC ON
(Affix Official seal to the kight)	THE OF OKLAMMENT
This space for Regulatory Auth	nority use.
This registration must be revailed after ten (10) ye	ars from the date of acceptance.
CRN: 0H11522.2 Rev1 2908	Newforminiona
FID#: Rewision is CRN renewal. GEN II (cont'd below)	Labrador Service NL
All Fittings shall be registered in the name of the Manufacturer.	Registered_0111522.20 ke
<ol> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> </ol>	Date21/09/09
3. The Declaration shall be made by the person having full suthority and responsibility for the quality of the and product.	Engineering and Inspection Solvices Registered by
4. Quality Cantrol programs shall be resubmitted for validation. Back mount liquid level controller. 4000psi @	MOCHETOLATI AND A LOS
11/2018 - 20F, -50F to 650F. Dwg. CRN060121	UNDER THE AUTONOTADE THE AVE. 2 PUBLIC SAFETY AOT AND

New Brunswick Nunavut Nova Scotia Yukon

Prince Edward Island Northwest Territories Newfoundland and Labrador

Manufacturers Name: Kimray, Inc.	
Manufacturers Address: 52 N.W 42nd Street	
Plant Locations: Oklahoma City, OK	
Category of Fittings to be registered. Circle one Categor A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, o B Flanges: all flanges	or reducers <u>Construction</u>
C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types	ASME B31.3-2018
E Strainers, filters, separators, and steam traps	
F Measuring devices, including pressure gauges, level gauges, sight glasses, le transmitters	avels, or pressure
G Certified capacity-rated pressure relief devices acceptable as primary over pre	assure protection on
bollers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categorie	
N Nuclear components: Class 1 Class 2 Class 3 C , (Meeting CNSC or	r ASME requirements)
Show Manufacturers Name, Trademark, or Logo as it will appear of	And and a second s
KIMRAY	Forged D Welded D Wrought D Cast D Other D Describe other: GENII BM Liquid Level Controller
List of supporting documentation and Identification of the actual It	ems to be registered:
Kimray CRN Drawing, ASME Calculations, Material Sp 9001:2015 Certifications.	pecification, API Specification Q1 and ISO
I <u>Constin Heyt</u> (see note 3) employed by <u>Kimray, Inc.</u> and responsibility for the quality of the end product do solemnly declare the my knowledge represents the product for which registration is sought. The ratings, and identification markings are in accordance with the herein name fittings is regulated by a Quality Control Program which extends to each p verified by <u>ISO 8001:2015</u> as being suitable for that pu believing it to be true, and knowing that it is of the same force and effect a Signature of Declarer: <u>With Amp</u> Declared before me at <u>CHantors AHP</u> , <u>OK</u> This <u>124</u> day of <u>Cimpusst</u> AD <u>2021</u>	hat the information contained in this form is true to the best of the dimensions, materials of construction, pressure temperature and standards. I further declare that the manufacture of these plant where fabrication occurs in whole or in part and has been
Commissioner of Oaths	EXP. 04/06/25 SE
Or Notary Public: (sign)	TAUBLIC S
(Affix Official seal to the light)	THE OF OKLAMMIN
This space for Regulatory.	Authority use.
This registration must be revaildated after ten (10	i) years from the date of acceptance.
CRN: 0H11522.2 Rev1	annie of L
2908 FID#:	BY TO
Revision is CRN renewal. GEN II (cont'd below)	In Carlos
1. All Fittings shall be registered in the name of the Manufacturer.	O BY TOI
2. Each Category shall be supported with two Statutory Declaration forms	O BY
and one copy of supporting documentation.	
<ol> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the and product.</li> </ol>	CRN 0H11522.2Y REV1
responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation.	
responsibility for the quality of the end product.	CRN 0H11522.2Y REV1

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Islam Northwest Territories		ewfoundland and Labrador	
Manufacturers Nei	Tie: Kinsay, Inc.			annan an a	
Manufacturers Add	ress: 62 N.W-42nd Street				
Plant Locations: or	ahoma City, OK	and Atala - Ata			
A Pipe Hungs, Includin	g couplings, tees, elbows, Y.	ered. <u>Circle one Category o</u> s, plugs, unions, pipe caps, or red		Title of the Standard of Construction	
B Flanges: all flanges G Valvos: all line valve				Contrast of the Article Statement of the Artic	
D Expansion Joints, flex	dble connections, and hose	sesemblies: all types		ASME B31.3-2018	
E Strainers, filters, sept F Measuring devices, is	arators, and steam treps including pressure causes. In	vel gauges, sight glassos, lovels,			
LI DI MITTINO DI					
DOUGLE, DUBERLINE VINUS	sels, cicino and fasible shree	ceptable as primary over pressure	protection on		
H Pressure retaining co	omponents that do not fail int	o one of the above categories			1
N Nuclear components:	Class 1 🖸 Class 2 🖬 Cl	asa 3 🗋 , (Meeting CNSC or ASM	E requirementa)		1
Show Manufacturen	Name, Trademark, or I	opp as it will appear on the	product	Type of Construction	
	EZEN AR	N A R A		Forged o Weided o Wrought Cast o Other o	
		ZAY .		Describe other:	
	A REALING	New B		GENII BM Liquid Level Contr	oiler
List of supporting de	cumentation and Ident	ification of the actual items (	o ho exclatan		
		1,11,0 <sup>0</sup> (10 <sup>1</sup> ) <sup>7</sup> (100) <sup>10</sup> (100)			
ny knowledge represen atings, and identificatio titings is regulated by a entified by <u>increasure</u> elleving it to be true, an ignature of Declarer: lectared before me at	e quality of the end produ its the product for which r n markings are in accord	egistration is sought. The dim ance with the herein named st which extends to each plant v being suitable for that purpose yame force and effect as if m	e information oc ensions, materi anderds. I furth there fabricatio. and I make this ade under path ade under path	d being the person having full author intained in this form is true to the bes isls of construction, pressure temper er declare that the manufacture of th n occurs in whole or in part and has is a solernn declaration conscientiously interview	it of ature nasa
us usy u	Lingus AD	audi	EXP	0408/25 7 - 2 E. See	
ommissioner of Oaths	17.16	1 -	Bae T-FC DCP Transformer ty una.		
Notary Public: (sign)	1 1 1	1	anna anna		
	(Affibr Official seel to the	night)	"IIIIISI	and some	-
	This moistration must	This space for Regulatory Author be revalidated after ten (10) yean	ly use. from the date of	Las I	
CRN: 0H11522.2	Rev1		N	Territories	
2908		1		Jennones Decisiones	Ed.
"ID#:			LINDER	REGISTERED	65:00
	renewal. GEN II (		THERO	THE AUTHORITY OF	
-	supported with two Statutory De		1114 00	VESSELACT.	
and one copy of support	ting documentation,		CON	OHISZZZT Pall	
<ul> <li>The Declaration shall be responsibility for the que</li> </ul>	a made by the person having full ally of the and emplort	euthority and	SIGNE		
. Quality Control program	s shall be resubmitted for validad				1
ack mount liquid 11/2016 - 20F, -50	b level controller. OF to 650F.Dwg.C	4000psi @ RN060121	DATE.	Cfr 13 Con Sid Printer Rev.2	
sheets) rev.A-(	02.CRN expires A	ug.3, 2031 (DG)	-		

New Brunswick Nunavut	Nova Scolia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Nan	1981; Kimay, Inc.		
Manufacturers Add	TCSS: 52 N.W 42nd Blankt		
Plant Locations: on	shoma City, OK	nen (- Cara an angele and fan de green en ag 2000) and an	
Categon	of Fittings to be register	ed. Circle one Category only	Title of the Standard of
8 Flanges: all flanges	g couplings, tees, albows, Ys, p	plugs, unions, pipe caps, or reducen	Sensitive of the Standard of Generation
C Valves: all line valves			Second and a second sec
D Expansion joints, flex	this connections, and here and	ambles all tunes	ASME B31.3-2018
	STREET, STATI BROWERS SAMON		
r weisung devices, in	icluding pressure gauges, lavel	gauges, sight glasses, levels, or pr	essure
G Certified capacity-rate	d pressure relief devices acces	stable as primary over pressure prot	1-17
			action on
	mponents that do not fail into o		
N Nuclear components:	Class 1 Class 2 Class	3 [] , (Meeting CNSC or ASME net	(etremente)
Show Munufacturers	Name, Trademark, or Loc	to as it will appear on the pro	
			Studi Type of Construction Forged a Weided a Wrought a
		AV	Cast D Other D
		AT	Describe other:
	Villand   14 G.V	inter 9	GENII BM Liquid Level Controller
List of supporting de	cumentation and Identifia	ation of the actual items to be	Cartin Charles Councilles
ings, and identification	I markings are in accordance Quality Control Program whi or book d knowled thay it is of the fa	with the herein named stands with the herein named stands lich extends to each plant where ng suitable for that purpose and me forms and offert on the purpose	end being the person having full authority smatter contained in this form is true to the best of ons, materiats of construction, pressure temperature inds. I further declare that the manufacture of these fabrication occurs in whole or in part and has been I make this solemn declaration conscientiously under materials (VA)
ciared before me at			
is day of	1 1 A A ALAN ET AD	<u>K</u>	
mmissioner of Oatha	- Cacalitation ND 0	<u>2021</u>	421004800
Notary Public: (sign)_	Chaques: AU 8	<u>к</u> 2021	421004800
	1 -1 -1 -1	-	ae (1821004800) EXP. 04008/25 (15) E. See, 0
	12-16]	-	ae (1821004800) EXP. 04008/28 (1925)
under an	(Affix Official seat to the light	0	ALENC AND THE SEE
All 1 1 5 5 5 5 5	(Affix Official seel to the fight This conjustention must be	() Is space for Regulatory Authority us	AUBLIC ON ANTINITY NUNAVUT
RN: 0H11522.2	(Affix Official seel to the fight This conjustention must be	0	AUBLIC AND THE SEE
2908	(Affix Official seel to the fight This conjustention must be	() Is space for Regulatory Authority us	Be Carbon Conderes Co
2908	Affix Official seat to the fight (Affix Official seat to the fight This registration must be r Rev1	t) is space for Regulatory Authority us revaildated after ten (10) years from	AUBLIC ON ANTINITY NUNAVUT
DW: 2908	(Affix Official seat to the fight (Affix Official seat to the fight This registration must be r Rev1 enewal. GEN II (co	t) is space for Regulatory Authority us revaildated after ten (10) years from	Restance of ceptance. NUDAVUE NUDAVUE Restance of ceptance. NUDAVUE NUDAVUE NUDAVUE NUDAVUE NUDAVUE
2908 DW:	(Affix Official seat to the fight This registration must be r Rev1 enewal. GEN JJ (co	t) is space for Regulatory Authority is revaildated after ten (10) years from int'd below)	AUBLIC ON ANTINITY NUNAVUT House of ceptance. NUNAVUT Boilers and Nunavut REGISTERED
2908 DW: 2908 All Fittings shall be regist Each Catagory shall be su	(Affix Official seal to the fight This registration must be r Rev1 <u>enewal. GEN II (co</u> and in the same of the Menufacture upported with two Shadory Declara	t) is space for Regulatory Authority is revaildated after ten (10) years from int'd below)	AUBLIC OF ORDERING House of Containing House of C
2908 DW:	(Affix Official seal to the fight This registration must be r Rev1 enewal. GEN II (co ared in the name of the Menufacture upported with two Statutory Declara g documentation.	4) Is space for Regulatory Authority us reveildated after ten (10) years from Int'd below) ar. Iston forms	REGISTERED CRN 014 11522 2 N Rev1
2908 DW: All Fittings shall be registe Each Cottegory shall be and one copy of supportin The Declaration shall be a	(Affix Official seal to the whith This registration must be r Rev1 anewal. GEN II (co ared in the name of the Manufactan upported with two Statutory Declara g documentation.	4) Is space for Regulatory Authority us reveildated after ten (10) years from Int'd below) ar. Iston forms	REGISTERED CRN 014 11522 2 N Rev1
2908 DW: All Fittings shall be registe Each Collegory shall be a and one copy of supportin The Declaration shall be a responsibility for the quality	Affix Official seal to the wigh (Affix Official seal to the wigh This registration must be r Rev1 anewal. <u>GEN II (co</u> area in the same of the Manufacture upported with two Statutory Declara g documentation. made by the passes having full outh by of the end product.	4) Is space for Regulatory Authority us reveildated after ten (10) years from Int'd below) ar. Iston forms	Boilers and NUDAVUT REGISTERED CRN 014 11522 2 N Rw1 Date September 10,2021
2908 DW: All Fittings shall be registed Each Collegory shall be a and one copy of supportin The Declaration shall be a responsibility for the quality Quality Control programs (	Affix Official seel to the fight (Affix Official seel to the fight This registration must be r Rev1 <u>enewal. GEN II (co</u> ared in the name of the Alertyfacture upported with two Statutory Decises g documentation. nade by the person having full such y of the end product. endl be responsibled for validation.	t) Is space for Regulatory Authority us revalidated after ten (10) years from Int'd below) ar. Iton forms ority and	REGISTERED CRN 014 11522 - 201 REGISTERED CRN 014 11522 - 201 Signed
2908 DW: All Fittings shall be registed Each Cottagory shall be a and one copy of supportin The Declaration shall be a responsibility for the quality Quality Control programs o LCK mount liquid	Affix Official seal to the fight (Affix Official seal to the fight This registration must be r Rev1 <u>enewal. GEN II (co</u> and in the same of the Manufactan upported with two Statutory Declara is documentation. made by the person having full eath by of the end product. entil be reaconstated for validation. level controller. 400	t) Is space for Regulatory Authority us revalidated after ten (10) years from Int'd below) ar. Ition forms ority and OODSI @	Boilers and NUDAVUT Boilers and NUDAVUT Boilers and Pressure Vessels Act REGISTERED CRN 0H 11522 2N Rw1 Date September 10, 2024 Signed
2908 DW: All Fittings shall be registed Each Cotagory shall be a and are copy of supportin The Declaration shall be a responsibility for the quality Gately Control programs of ACK MOUNT liquid 11/2018 - 20F, -501	(Affix Official seal to the fight This registration must be r Rev1 <u>enewal. GEN II (co</u> and in the same of the Manufactan upported with two Statutory Declara g documentation. made by the person having full each y of the end product. entil be resubmitted for validation. level controller. 400 F to 650F, Dwg, CRN	t) Is space for Regulatory Authority us revalidated after ten (10) years from Int'd below) ar. Iton forms ority and 00psi @ 1060121	REGISTERED CRN 014 11522 - 2 See: Boilers and Pressure Vessels Act REGISTERED CRN 014 11522 - 2 N Rw1 Date See tember 10, 2021
2908 DW: All Fittings shall be registed Each Cottagory shall be a and one copy of supportin The Declaration shall be a responsibility for the quality Catality Control programs of ICK MOUNT liquid 11/2018 - 20F, -501	Affix Official seal to the fight (Affix Official seal to the fight This registration must be r Rev1 <u>enewal. GEN II (co</u> and in the same of the Manufactan upported with two Statutory Declara is documentation. made by the person having full eath by of the end product. entil be reaconstated for validation. level controller. 400	t) Is space for Regulatory Authority us revalidated after ten (10) years from Int'd below) ar. Iton forms ority and 00psi @ 1060121	See 21004800 EXP. 0408/25 The Augure Contraction The Case of Contrac
2908 DW: All Fittings shall be registed Each Cottagory shall be a and one copy of supportin The Declaration shall be a responsibility for the quality Catality Control programs of ICK MOUNT liquid 11/2018 - 20F, -501	(Affix Official seal to the fight This registration must be r Rev1 <u>enewal. GEN II (co</u> and in the same of the Manufactan upported with two Statutory Declara g documentation. made by the person having full each y of the end product. entil be resubmitted for validation. level controller. 400 F to 650F, Dwg, CRN	t) Is space for Regulatory Authority us revalidated after ten (10) years from Int'd below) ar. Iton forms ority and 00psi @ 1060121	REGISTERED CRN 014 11522 - 215LE: See: Boilers and Pressure Vessels Act REGISTERED CRN 014 11522 - 21 Rev1 Date September 10, 2021 Signed Chief Inspector
All Fittings shall be registe All Fittings shall be registe Each Cotagory shall be a and one copy of supportin The Declaration shall be a responsibility for the qualit Gastly control programs ack mount liquid 11/2015 - 20F, -50F	(Affix Official seal to the fight This registration must be r Rev1 <u>enewal. GEN II (co</u> and in the same of the Manufactan upported with two Statutory Declara g documentation. made by the person having full each y of the end product. entil be resubmitted for validation. level controller. 400 F to 650F, Dwg, CRN	t) Is space for Regulatory Authority us revalidated after ten (10) years from Int'd below) ar. Iton forms ority and 00psi @ 1060121	See 21004800 EXP. 0408/25 The Augure Contraction The Case of Contrac