at a maximum interval of five (5) years.

Sect. 1.0 - Filtings Rev. 1 06/2003

# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME	KIMRAY, INC.		
MANUFACTURERS ADDRESS	52 N.W 42nd Street	Oklahoma City, OK 73118	U.S.A (405) 525-6601
PLANT LOCATIONS.	Oklahoma City		
CATEGORY OF FITTI	NGS TO BE REGISTERE	D. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STUNDARD U- CONSTRUCTION
H Pressure retaining component	nections, and hose assemble and steam traps pressure gauges, level gauges acceptabling and fusible plugs to hat do not fall into one of	olies: all types  liges, sight glassos, levels, or  lie as primary over pressure protection of  the above categories	ASME 831.3-2012 & 616 42-2011
N Nuclear components: Class I	☐ Class 2 ☐ Class 3 ☐	. (Meeting CNSC or ASME requirement	(3)
SHOW MANUFACTURERS NAM	E TRADEMARK OR LO	GO AS IT WILL APPEAR ON THE PRO	DOUCT TYPE OF CONSTRUCTION
	KIMR	AY	FORGED WELDED WASUGHT DESCRIBE OTHER DESCRIBE OTHER TO DESCRIBE OTHER DESCRIBE MOTOR Valves
KINKSY DESCRIPTING DOCUM	MENTATION AND IDENTIF	FICATION OF THE ACTUAL ITEMS TO	D BE REGISTERED: N091114-6, CRN091114-BOM Rev. A-01:
temperature ratings, and ident manufacture of these fittings is or in part and has been verifie	ification markings are in sregulated by a Quality d by BSI (Man System) IS	emnly declare that the information of ration is sought. The dimensions, is accordance with the herein name of Control Program which extends to 10,9001-2008.	and being the person having full authority and ontained in this form is true and to the best of naterials of construction, pressure if standards. I further declare that the each plant where fabrication occurs in whole le for that purpose and I make this solemn
declaration conscientiously be	lieving it to be true, and	knowing that it is of the same force	e for that purpose and I make this solemn as and effect as if made under oath.
Signature of Declarer.  Declared before me at  This / Z day of	JOKLALA,	na City, OK US To	M. Q5000387
Commissioner of Oalhs or Notary Public: (sign)	The Sean	2013 R	OKLATURE OF ONLY OF THE OWNER OW
	This	space for Regulatory Authority use	
This	registration must be rev	alidated after ten (10) years from the	ACCEPTED
CRN: 0C15737.2	<u></u>	PROV	TNCE OF PRINCE EDWARD ISLAND VIRONMENT, LABOUR & JUSTICE
FID#: _2908			0-1-50-0-
Notes.  1 All fittings shall be registered. 2. Each category shall be supplorms and one copy of support. 3. The declaration shall be madespossibility for the quality of the	orted with two Statutory Doing documentation. the by the person naving for the end product	authority and IN	SPECTION SERVICES SECTION
4 Quality control programs sha	ill be resubmitted for valid;	ation BOI	LER/PRESSURE VESSEL BRANCH

at a maximum interval of five (5) years

Sent 1 6 - Prings Rev 1 18 2011 |

## UNIFORM STATUTORY DECLARATION FORM FOR THE

EW BRUNSWICK UNAVUT	NOVA SCOTIA YUKON	PRINCE EDW			NUNDLAND AND LABRADOR
MANUFACTURERS NAME	KIMRAY INC.				
MANUFACTURERS ADDRESS	52 N W 42nd Street	Oklahoma City	OK 73118	USA	(405) 525-660!
PLANT LOCATIONS	Oklahoma City				
	NGS TO BE REGISTERED			THE	OF THE STANDARD OF CONSTRUCTION
A Pipe filtings, including coupling B Flanges all flanges Valves: all fine valves D Expansion joints, flexible confections E Strainers, filters, separators a F Measuring devices, including pressure transmitters	nections and hose assemble	lies all types		ASME	EB31 3-2012 ★ E16 42-2C11
G Certified capacity-rated pression boilers pressure vessels piped. Pressure retaining component	ing and fusible plugs				
N Nuclear components: Class t	Class 2 7 Class 3 F1	Master CNSC -	25		
SHOW MANUFACTURERS NAM	E TRADEMARK OR LO	COASITMUL AND	ASME requirements	1	
	KIMR	AY		FORG CAST DESC 1.6" ( Valve	
LIST OF SUPPORTING DOCUM	MENTATION AND IDENTIF	FICATION OF THE	ACTUAL ITEMS TO	DE DECISTE	950.
DECLARATION:  Thomas Hill responsibility for the quality of the quality of the quality of the quality of the temperature ratings, and identification of these fittings or in part and has been verified declaration conscientiously but the property of Declarer.  Declared before me at this day of day of	attification markings are in is regulated by a Quality and by IBSI (Man System) is ellipting it to be true, and	emnly declare that tration is sought a accordance with Control Program 50 9001 2008 I knowing that it is	the information co The dimensions, m the herein named which extends to e as being suitable of the same force	ntained in the aterials of co standards I ach plant wh	onstruction, pressure further declare that the nere fabrication occurs in who
Commissioner of Oaths or Notary Public (sign)	54 Jean	- S	Till Jan 1	OF OKLANDA	2000
This	This	s space for Regulate	iry Authority use		DANGER BANKS O
Inis	registration must be rev	randalen alter len	(10) years from the	SLA of acc	ceptance
ORN <u>OC15737.2</u>			NON TO	DTIA	
FID# _2908		(	Date June	26/15	
Nation			C.R.NOC 15	737.28	O
Notes  1. All filtings shall be registered. 2. Each cutagory shall be support forms and one copy of support.	ported with two Statutory D	facture: [ lec aration	Dwg. as desc		

### UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.		
MANUFACTURERS ADDRESS.	52 N.W 42nd Street	Oklahoma City, OK 73118	USA (405) 525-6601
PLANT LOCATIONS:	Oklahoma City		
CATEGORY OF FITTI	NGS TO BE REGISTERED. (	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
boilers, pressure vessels, pipi H Pressure retaining component	nections, and hose assemblies ind steam traps pressure gauges, level gauges ure relief devices acceptable a ing and fusible plugs ts that do not fall into one of th	all types s, sight glasses, levels, or s primary over pressure protection on e above categories	ASME B31 3-2012 & B16 42-2011
		Meeting CNSC or ASME requirements)	
	KIMR	AS IT WILL APPEAR ON THE PRODUCT	FORGED WELDED WROUGHT DESCRIBE OTHER DESCRIBE OTHER 1-6" Ductile Low Pressure Motor Valves
LIST OF SUPPORTING DOCUM	MENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEMS TO BE RI . CRN091114-3, CRN091114-4, CRN0911	GISTERED:
	¥		
my knowledge represents the temperature ratings, and ident manufacture of these fittings is or in part and has been verified declaration conscientiously be Signature of Declarer:  Declared before me at This/ Z day of Commissioner of Oaths or Notary Public: (sign)	product for which registratic diffication markings are in acts of the product of	ace for Regulatory Authority use	lards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn affect as if made under path.
This		dated after ten (PF) PEAR from the Sate	AFETY of acceptance ESSEL ACT
CRN: 0C15737.2			
FID# 2908		CRN COL	5737.27
Notes:  1. All fittings shall be registered: 2. Each category shall be supp forms and one copy of supporting. 3. The declaration shall be made responsibility for the quality of the supporting of the supporting of the supporting the	orted with two Statutory Declar ng documentation. de by the person having full as the end product. all be resubmitted for validation	thority and CHIEF BOILER INST	ECTOR 6/2015  PVS  Sect. 1 0 - Fittings Rev. 1 05:2033
		FITTINGS C	OMPONENTS

# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NUNAVUT	YUKON	NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME	KIMRAY INC		
MANUFACTURERS ADDRESS	52 N W 42nd Street	Oklahoma Cily OK 73118	USA (435) 525-6601
PLANT LOCATIONS	Oklahoma City		33K (433) 323-000)
CATEGORY OF FITTI	NGS TO BE REGISTERE	CIRCLE ONE CATEGORY ONLY	TILE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings including coupling Flanges all flanges Valves all fine valves D Expansion joints, flexible context Strainers, filters, separators, a flanguage flanguage flanguage from the following pressure transmitters	gs tees, elbows Ys, plugs nections and hose assemb and steam traps pressure gauges, level gau	unions pipe caps or reducers lies all types ges sight glasses levels or	ASME 831 3 2312 \$ 819 42-2011
poliers, pressure vessels, pip	ing and fusible plugs	le as primary over pressure protection on	
H Pressure retaining component N Nuclear components Class	ts that do not fall into one o	if the above categories  (Meeting CNSC or ASME requirements)	
SHOW MANUFACTURERS NAM	ME. TRADEMARK OR LO	GO AS IT WILL APPEAR ON THE PRODUCT	
	KIMR	ZAY	FORCED WELDED WADUGHT DESCRIBE OTHER DESCRIBE OTHER 16 Duct to Low Pressure Motor Valves
LIST OF SUPPORTING DOCUM	MENTATION AND IDENTI	FICATION OF THE ACTUAL ITEMS TO BE R	
DECLARATION:    Thomas Hill responsibility for the quality of	the end product do sole		eing the person having full authority an
temperature ratings, and iden manufacture of these littings i or in part and has been verifie	tification markings are in s regulated by a Quality ed by BSI (Man System) IS	n accordance with the herein named stand Control Program which extends to each	als of construction pressure dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as it made under oath.
Declared before me at  This 12 day of	JUNE AD	79 CINY, CK 43000	
Commissioner of Oaths or Notary Public (sign)	54 fran	-C &	N. L. Kristop Andream Market
This	The	s space for Regulatory Authority use	
1996 A 64000 - A 604004 A 60000 - 1954	registration must be rev	raildated after ten (10) years from the dat	e of acceptance
CRN 0015737.2			Newfoundland Labrador
FID# 2908	i.		Service NL Registered 00/5737. 20
Notes 1. All fittings shall be registere 2. Each datagory shall be sup- forms and one copy of support 3. The declaration shall be ma-	ported with two Statutory Di ing documentation	estaration	Cate
responsibility for the quality of 4. Quality control programs an at a maximum interval of five (	the end product all be resubmitted for valid		UNDER THE AUTHOUT OF THE PUBLIC SAFETY OF AND THE BOALER, PRESSURE VESSEL AND COMPRESSED REPORTED TO THE BOALER OF

IEW BRUNSWICK IUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD SLANU NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME	KIMPAY INC.		
MANUFACTURERS ADDRESS	52 N V/ 42nd Street	Oklahoma City OK 73118	U.S.A. (405) 525-5601
PLANT LOCATIONS	Oklahoma City		
CATEGORY OF FITT	NGS TO BE REGISTERED	CIRCLE ONE CATEGORY ONLY	ASME B31 3-2012 \$ 818 42 2011
A Pipe fittings, including coupling Flanges all flanges. See Section 1997. A section of the values of Expansion joints, flexible context of the section of t	nections, and hose assembled steam traps pressure gauges, level gaulure reliaf devices acceptabling and fusible plugs.	illes, all types iges, sight glasses, levels, or lie as primary over pressure protection on	
		Meeting CNSC or ASME requirements:	
		GO AS IT WILL APPEAR ON THE PROC	
	KIME	<b>YA</b>	FORGED WELDED WHOUGHT COAST OF OTHER COSCINE OTHER COAST DESCRIBE OTHER 1 6" Duchic Low Pressure Mutor Valves
LIST OF SUPPORTING DOCU	MENTATION AND IDENTI	FICATION OF THE ACTUAL ITEMS TO B	BE REGISTERED:
DECLARATION: Thomas Hill esponsibility for the quality on the knowledge recresents the	see nixe 3: employe  f the end product do sol	ed by KIMRAY INC a emnly declare that the information col tration is sought. The dimensions, m	ind being the person having full authority intained in this form is true and to the bes
temperature ratings, and ider manufacture of these fittings or in part and has been verific	itification markings are it is regulated by a Quality ad by IPSI (Man System) I	n accordance with the herein named in Control Program which extends to e	standards. I further declare that the ach plant where fabrication occurs in who for that number and I make this assessment.
Signature of Declarer	Th	and the same same same same same same same sam	E GRALLER THE CHILDER DATE
Declared before me at (	JUXIANO	2015	95000187
Commissioner of Oaths or Notary Public (sign)	54 Jan	A.A.	OF OKLAND
	Th	is space for Regulatory Authority use	
This		varidated after ten (10) years from the	e date of Naplace
CRN 0C15737.2			(3E) (2)
FID# 2908		(9	8 av 15727. F
Notes 1. All fittings shall be registere 2. Each catagory shall be sup	purted with two Statistory (	factorer.	CRY OC 12419
forms and one copy of support  3. The declaration shall be made		utl authority and	\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \

Sect 10 Fatigs Rev 1 decated

responsibility for the quality of the end product

at a maximum interval of five (5) years.

4. Quality control programs shall be resubmitted for validation

## UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

JNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFO	DUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.			1
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118	U.S.A	(405) 525-6601
PLANT LOCATIONS:	Oklahoma City			
CATEGORY OF FITTH	NGS TO BE REGISTERED	CIRCLE ONE CATEGORY ONLY	T, TUE	OF THE STANDALO UP CONSTRUCTION
A Pipe littings, including coupling B Flanges: all flanges Valves: all line valves D Expansion Joints, floxible conn E Strainers, filters, separators, a Measuring devices, including ip pressure transmitters G Cerified capacity-rated pressu boilders, pressure vessels, pip H Pressure retaining component	nections, and hose assembland steam traps prossure gauges, level gaul ure relief devices acceptabling and fusible plugs	lies: all types ges, sight glasses, levels, or le as primary over pressure protection or	ASME	E 631 3-2012 & E15 42-2011
		. (Meeting CNSC or ASME requirements	.	
NOW MANUSACTUREDS NAM	AE TOADEMARY COLO	SO AS IT WILL APPEAR ON THE PRO	5)	j
	KIMR	AY	CAST DESC	IVPLOF CONSTRUCTION ISO DI WELDED DI WROUCHT DI DIOTHER DI RIDICIOTHICA: Ductille Low Prossure Motor es
Kimray Drawings CRN091114. ASME Calculations: Quality ISC	CRN091114-1, CRN09111	ICATION OF THE ACTUAL ITEMS TO 4-2, CRN091114-3, CRN091114-4, CRN	BE REGISTE NOD1114-6, CA	RED: RN091114-80M Rev. A-01.
my knowledge represents the emperature ratings, and iden manufacture of these fittings I or in part and has been verifie	product for which regist tification markings are in its regulated by a Quality and by BSI (Man System) IS	emply declare that the information of ration is sought. The dimensions, in accordance with the herein named Control Program which extends to a O 9001:2008 as being suitable knowing that it is of the same force	naterials of co standards. I each plant wi	onstruction, pressure further declare that the here fabrication occurs in whole
Signature of Declarer:	/ II /		minimining	The state of the s
Declared before me at	10 Klaty,	2015 OK 0 3 margaret	GE GRAVATION TO STATE OF THE CONTROL	F 4 . 2 F 4
Declared before me at  This day of  Commissioner of Oaths	Sorialso Sur sian	na City, OK US MANUELLE DE LES	STO STEEL STORY	
Declared before me at  This _ ! day of  Commissioner of Oaths or Notary Public: (sign)  This	5M Sian	na City, OK US MANAGER	A QSOODS TO STAND OF OK OK SKINGER	ols (
Declared before me at  This !	5M Sian	na City, OK US 3	49300397	
Declared before me at  This! day of  Commissioner of Oaths or Notary Public: (sign)  This  CRN: OC15737.2  FID#: 2908	5M Sian	s space for Regulatory Authority use allidated after ten (10) years from the	e date of act	Polaciones ISTERED
Declared before me at  This _ ! _ day of _  Commissioner of Oaths or Notary Public: (sign)  This  CRN: _ OC15737.2	This registration must be review of the Manufert of the Manufe	s space for Regulatory Authority use alidated after ten (10) years from the THI acturer eclaration  Il authority and	REG DER THE BOILER VESS N. OC.	Polago hwest Perritories ISTERED

NEW BRUNSWICK

10:401 ceutra :465/8/3011/ # 6/ 19

-UN12' 7+-17'C IN /A

## UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNATION OF FITTING D

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISL NORTHWEST TERRIT	CNA	NEWFOUNDLAND AND LABILATION
MANUFACTURERS NAME	KIMRAY INC			
MANUFACTURERS ADDRESS	52 N W 42nd Street	Oklahoma City CK 7	3118	USA 1175 525 50 1
PLANT LOCATIONS	Oklahoma City			0.00
CATEGORY OF FITTI	NGS TO BE REGISTERE	D. CIRCLE ONE CATEGOR	ONLY	TITLE OF THE STANDARD OF SONSTRUCT IN
A Pipe fittings including coupling B Flanges all flanges Valves all fline valves D Expansion joints, flexible cont E Strainers, filters, separators, at Measuring devices including in pressure transmitters G Certified capacity-rated press boilers pressure vessels pip H Pressure retaining component	nections and hose asseming steam traps pressure gauges level galure relief devices acceptaling and fusible plans.	blies all types uges sight glasses levels or ble as primary over pressure p		ASME B31 3 2017 ( 215 17.7)11
N Nuclear components Class	☐ Class 2 ☐ Class 3 ☐	IMeeting CNSC or ASME in	BCIL: oma ols i	:
SHOW MANUFACTURERS NAM	E, TRADEMARK, OR LO	GO AS IT WILL APPEAR ON	THE PRODUCT	[PRE Do hous बार १००
	KIME	<b>E</b> AY		FORGED WELDED WROUGHT CAST : OTHER - DESCRIBE OTHER 1 6" Ductife Low Press ire May. Valves
LIST OF SUPPORTING DOCUM Kimray Drawings CRN091114 ASME Calculations Quality ISC	CRN091114-1 CRN0911	14.2 CRNOQUIA 3 CONOCI	ITEMS TO BE RI	EGISTERED: 14-6 CRN091114-8-05/R-27 4-01
temperature ratings and ident	the end product do sol product for which regis ification markings are in s regulated by a Quality d by BSI (Man System) is disping it to be true and	n accordance with the here Control Program which ex	rmation contains ensions material ein named stand ktends to each p	dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath
This		s space for Regulatory Author validated after ten (10) yea	odse date	of acceptange in and
ORN _0C15737.2		1	Nunavut	Pressure of Rels Act
FID# 2908			F	REGISTERED
Notes		1	CRN _ OC	15737, 2 N
All fittings shall be registerer Each catagory shall be suppliforms and one copy of supporting The deparation shall be made responsibility for the quality of the Quality control programs shall be made to the support of the support	orted with two Stall Jury D ing documentation de by the person having for the end product all be resubmitted for variet	etranings.	Date Signed	Chief fing for
at a maximum interval of five (5	· years		Territor	rial Registration Fee