New Brunswick	Nova Scotia	Prince Edward Islan		N	
Nunavut	Yukon	Northwest Territorie	.1Q es	Newfoundland and Labrador	
Manufacturers Name: Kimray, Inc.					
Manufacturers Addres	S: 52 N.W 42nd Street				
Plant Locations: Oklahom	ia City, OK	· · · · · · · · · · · · · · · · · · ·		To differ the second se	
A Pine fittings including on	Fittings to be registered.	Circle one Category	anly	Title of the Standard of	
	uplings, tees, elbows, Ys, plug	s, unions, pipe caps, or re	ducers	Construction	
C Valves: all fine valves				ASME B31.3-2020	
	connections, and hose assem			1.0 VIL DO 1.5-2020	
F Measuring devices, including	ding pressure gauges, level ga	uges, sight glasses, levels	s, or pressure		
G Certified capacity-rated pr	PSSUITE tellef devices assentati	ie se mimoni mor maco.			
	piping and fusible plugs ments that do not fall into one		ra biofection ou-		
N Nuclear components: C	lass 1 D Class 2 D Class 3	C Charles CNICO - 40	ME requirement	. (a	
Show Manufacturers Na	ame, Trademark, or Logo	as it will appear on th	e product	Type of Construction	
	E F B A F B	ABA		Forged a Welded b Wrought b	
	K M L			Cast Describe other:	
	E PHIVE INC.			2-3" Low Pressure High Volume (LPHV) Valve	
List of supporting docu	mentation and identificat	ion of the actual items	s to he malete	The Presente Light volume (LPHA) valve	
Engineer Drawing.	ASME Calculations	Material Specific	otion ADIC	Specification Q1 and	
ISO 9001:2015 Cer	tifications	Material opecinic	auon, API S	specification Q1 and	
130 001	anodions.				
		,			
Declaration:					
Duntin Hayt	(see note 2) complex	red by Kimray, inc.			
and responsibility for the qu	sality of the end product do	colomply dodlain that		and being the person having full authority contained in this form is true to the best of	
my knowledge represents t	he product for which regist	ration is sought. The d	imensions, ma	contained in this form is true to the best of terials of construction, pressure temperature	
fittings, and identification in	landings are in accordance	with the herein named	standards. I fu	terials of construction, pressure temperature urther declare that the manufacture of these	
verified by ISO 8001:2015	aghain	revitable for that nume	where raphical	tion occurs in whole or in part and has been	
believing it to be true, and I	knowing that it is of the same	ne force and effect as if	made under o	ath.	
Signature of Declarer:	Mat 1				
Declared before me at V	The state of the s	ahone Cit	1 04 1	ICA MANDENNIA	
71	meny ou	ahome us	-	200	
The day of	AD C	022	Use this	space for the official team)	
Commissioner of Oaths					
Or Notary Public: (sign)	Midwill	ostern		THE OF OKLANIE	
	(Affix Official seal to the right)			radia	
This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the calculatory are					
CRN: 0C22175.2	Inis registration must be re	validated after ten (10) ye	ars from the date	Differentiance.	
	-	PROV	INCE OF PRI	INCE EDWARD ISLAND	
FID#: 2908	_	COM	MUNITIES, L	AND & ENVIRONMENT	
Notes:		C.R.N	1. OC 3	2175.29	
All Fittings shall be registered.	ed in the name of the Manufacturer	DATE	7	24 2000	
and one copy of supporting		on lonns		2022	
 The Declaration shall be ma responsibility for the quality 	ide by the person having full author of the end product.		Jenn	1 McCos	
4. Quality Control programs sh	all be resubmitted for validation		SPECTION S		
Scope: Low pressure high v	olume dump valve. 2" to 3" F	Fig. BULL	lek/pressu	RE VESSEL BRANCHO - Fittings Rev.2	
A395 60-40-18 CRN expires March 17th, 20), 2" to 3"NPT (500psi) @ -20	1 to 400F			
Side expries March 17th, 20	732 (DG)				

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Name:	Kimray, Inc.		
Manufacturers Addres	38; 52 N.W 42nd Street		
Plant Locations: Oklahon	na City, OK	I. Circle one Category only	
8 Flanges: all flanges	uplings, tees, elbows, Ys, plu	1. Circle one Category only 193, unions, pipe caps, or reducers	Title of the Standard of Construction
C Vaives: all fine valves D Expansion loints, flexible	a connections, and hose asser	mbliani all funas	ASME B31.3-2020
i E Strainers, tillers, separat	lors, and steem trans		
i vansmiters		auges, sight glasses, levels, or pressure	
G Certified capacity-rated p	ressure relief devices accepte	able as primary over pressure protection	on
H Pressure retaining comp	i, piping and fusible plugs conents that do not fall into one	e of the above calegories	
N Nuclear components: C	Class 1 🗆 Class 2 🗀 Class 3	3 . (Meeting CNSC or ASMF required	conta)
Show Manufacturers N	ame. Trademark, or Logo	o as it will appear on the product	Type of Construction
	THE APPRIL ADDRESS	A TRA B	Forged o Welded o Wrought o
			Cast O Other 6 Describe other:
		A M	2-3" Low Pressure High Volume (LPHV) Valve
List of supporting doc	umentation and identifica	ation of the actual items to be req	
ISO 9001:2015 Ce	rtifications	s, Material Specification, AF	7 Specification Q1 and
100 000 1,2210 00	Timodicija.		
		,	
		,	***************************************
Declaration:			
Dustin Hayl	(see note 3) emple	oyed by Kimray, Inc.	and being the person having full authority
and responsibility for the c	quality of the end product of	lo solemnly declare that the informa	tion contained in this fame is to a the best of
runnys, and tuentuncation	maining are in accompand	B WITH 179 HOROID HOMAN CONNACTOR	materials of construction, pressure temperature i further declare that the manufacture of these
fittings is regulated by a Q verified by 150 9001:2015	ruality Control Program Wi	ich extends to each plant where fab	rication occurs in whole or in part and has been
		ng suitable for that purpose and I m ame force and effect as if made und	
	112/1/1	THE INTERNATION OF IT INDOC STIME	or cau.
Signature of Declarer:	Music May	lahoma Coly, Oh	IICA MANOSONIA
Declared before me at	TWISH ON		327 " " " " " " " " " " " " " " " " " " "
This day of _	IV org AD	4074 Usa	this space for the difficient and and a space for the difficient and a space for the difficie
Commissioner of Oaths	M - M [N.		The Cours of
Or Notary Public: (sign) _	Manim	alse and	ON OKL WITH
	(Affix Official seal to the right	. ,	
	This registration must be	ils space for Regulatory Authority use revalidated after ten (10) years from the	ECC1200
CRN: 0C22175.2		CR & PARTY	State Oversconlance.
FID#: 2908		NOVA	SCOTIA (SE)
Notes:	_	Date Ju	DE 24/22
	ared in the name of the Manufactu	CRN OCE	2175.28
2. Each Category shall be su	upported with two Statutory Declar		escribed
and one copy of supporter	g documentation.	1	na Perry
responsibility for the qualit	nade by the person having full aut ly of the end product.	hority and	of 1
4. Quality Control programs	shall be resubmitted for validation		
11/2016(Cl.150; 250ps	volume dump valve. 2" to 3 lg), 2" to 3"NPT (500psl) @ - 8	" Flg20F to 450F	Part Soct 1.0 - Fittings Rev.2
CRN expires March 17th,	3 2032 (DG)		2002

New Brunswick

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Islan Northwest Territorie		vfoundland and Labrador	
Manufacturers Name:	Kimray, Inc.				\neg
Manufacturers Addres					
Plant Locations: Oklahon	na City, OK Fittings to be registered	Circle one Category	only	Title of the Standard of	
A Pipe fittings, including co B Flanges: all flanges	puplings, tees, elbaws, Ys, plug	gs, unions, pipe caps, or re	educers	Construction	
C Valves: all line valves				ASME B31.3-2020	
E Strainers, filters, separat	connections, and hose assen				
F Measuring devices, inclu transmitters	iding pressure gauges, level ga	auges, sight glasses, level	s, or pressure		
G Certified capacity-rated p	ressure relief devices accepta	ble as primary over pressi	ure protection on		
H Pressure retaining comp	, piping and fusible plugs conents that do not fall into one	of the above categories			
	Class 1 🗆 Class 2 🗀 Class 3		SME requirements)		
Show Manufacturers N	lame, Trademark, or Logo	as it will appear on t	he product	Type of Construction	
				Forged □ Welded □ Wrought □ Cast □ Other ■	
	MIMIK	KAY		Describe other:	
	ING.			2-3" Low Pressure High Volume (LPHV) Va	lve
List of supporting doc	umentation and identifica	tion of the actual item	s to be registered	E	
Engineer Drawing,	ASME Calculations	, Material Specific	cation, API Spe	ecification Q1 and	
ISO 9001:2015 Ce	ertifications.				
		,			
Declaration:					
Dustin Hayt	(see note 3) emplo	oyed by Kimray, Inc.	and	d being the person having full authority	,
and responsibility for the	quality of the end product d	o solemnly declare that	the information co	ntained in this form is true to the best	of
my knowledge represents ratings, and identification	the product for which regis markings are in accordance	stration is sought. The e with the herein name	dimensions, materi distandards il furth	als of construction, pressure temperat er declare that the manufacture of the	ure
fittings is regulated by a C	Quality Control Program whi	ich extends to each pla	nt where fabrication	n occurs in whole or in part and has be	en
verified by 150 9001:2015 believing it to be true, and	knowing)that it is of the sa	ng suitable for that purp ime force and effect as	ose and I make thi if made under oath	s solemn declaration conscientiously	
	112116	-			
Signature of Declarer:	yman ay	CA.	W. Oh. U	SA SUMMER LANDS	
Declared before me at Kinner Ohlaham CH, Oh, USA					
This day of Commissioner of Oaths	IV ay AD	6 1	Ose una si	(A) EXP. 04/04/23	7
Or Notary Public: (sign) _	NI(X) LOW	Make		D OK NICE	
Of Notary Fublic. (sight) _	(Affix Official seal to the right	The state of the	R	New Souveau Tunne	
	Th	is space for Regulatory A	thority use.	GIISWICK	+
0000475.0	This registration must be	revalidated after ten (10)	rears from the date o	JUSTICE PUBLIC SAFETY PRESSURE VESSELACT	
CRN: 0C22175.2					
FID#: 2908			RI	EGISTRATION ONLY	-
Notes:			CRN (DC 22175,27	
	ered in the name of the Manufactu	1			
and one copy of supporti	supported with two Statutory Declar ng documentation.	ation forms	X	an aras	
 The Declaration shall be responsibility for the qual 	made by the person having full aut	thority and	CHIE	F BOILER INSPECTOR	
4. Quality Control programs	shall be resubmitted for validation		DATE	1 /211/2	A. C
Scope: Low pressure high	h volume dump valve. 2" to 3 sig), 2" to 3"NPT (500psi) @ - 8	3" Flg. -20F to 450F	DATE	Sect 1.0 - Fittings Rev.2	
A395 60-40-1 CRN expires March 17th,	8 2032 (DG)				
The same of the same of the same			BLRs	☐ PVs	+
			DIFITTINGS	□ NUCLEAR COMPONENTS	

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador		
		Northwest Terrrories			
Manufacturers Name Manufacturers Addre					
Plant Locations: Oklaho					
Category o	f Fittings to be registered	. Circle one Category only	Title of the Standard of		
A Pipe fittings, including of B Flanges: all flanges	ouplings, tees, elbows, Ys, plug	gs, unions, pipe caps, or reducers	Construction		
C Valves: all line valves			ASME B31,3-2020		
D Expansion joints, flexible	e connections, and hose assem	nblies: all types	ASIVIE DS 1.3-2020		
E Strainers, filters, separa	tors, and steam traps	auges, sight glasses, levels, or pressure			
transmitters					
G Certified capacity-rated	pressure relief devices acceptal s, piping and fusible plugs	ble as primary over pressure protection or	n		
H Pressure retaining com	ponents that do not fall into one	of the above categories			
N Nuclear components:	Class 1 Class 2 Class 3	☐ , (Meeting CNSC or ASME requirement	nts)		
Show Manufacturers I	lame, Trademark, or Logo	as it will appear on the product	Type of Construction		
		A NO. 17	Forged D Welded D Wrought D		
	KILAD		Cast Other Describe other:		
	; (100000000 0 000 00000		2-3" Low Pressure High Volume (LPHV) Valve		
		tion of the actual items to be regis			
Engineer Drawing	, ASME Calculations	, Material Specification, API	Specification Q1 and		
ISO 9001:2015 Ce	artifications.				
		7			
Declaration:					
Dustin Hayt	(see note 3) emplo	yed by Kimray, inc.	and being the names begins fell sutherity		
and responsibility for the	quality of the end product d	o solemnly declare that the information	_ and being the person having full authority on contained in this form is true to the best of		
my knowledge represents	s the product for which reals	tration is sought. The dimensions m	sterials of construction pressure temperature		
ratings, and identification	markings are in accordance	with the herein named standards 1	further declare that the manufacture of these		
verified by 180 9001:2015	auality Control Program whi	ch extends to each plant where fabric	cation occurs in whole or in part and has been		
believing it to be true, and	knowing that it is of the sta	me force and effect as if made under	te this solemn declaration conscientiously		
Signature of Declarer:	White the		-		
	19mm and	City Oh.	11SA WILLANDS		
71	Declared before me at Vineni Ohlaham City, Oh, USA				
This day of	IV Ory AD	Use th	is space for the Giffeld Balt)		
Commissioner of Oaths	1 - M	()	Table 19		
Or Notary Public: (sign) _	Minhall	nistera	OF OKLANITA		
	(Affix Official seal to the righ	0	man.		
		s space for Regulatory Authority use.			
0000175.0		revalidated after ten (10) years from the di	ate of acceptance.		
CRN: 0C22175.2		(87			
FID#: 2908		Newfoundland			
		Labrador			
Notes: 1. All Fittings shall be regis!	tered in the name of the Manufactur	Digital Government and Service NL			
AND ARREST TO THE PARTY OF THE	supported with two Statutory Declara	0022175 20			
and one copy of supporti		Date06-Jul-2022	NAME OF THE PARTY		
 The Declaration shall be responsibility for the qual 	made by the person having full auth	hority and Engineering and Inspection Service	ces		
	nty of the end product. Is shall be resubmitted for validation,	Registered by David Ouder			
Scope: Low pressure high	h volume dump valve 2" to 3"	" FIG UNDER THE AUTHORITY OF THE	Sect 1.0 - Fittings Rev.2		
A395 60-40-1		THE BUILER, PRESSURE VESSEL AT			
CRN expires March 17th,		COMPRESSED GAS REGULATIONS			

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
		Northwest Territories	
Manufacturers Name:			
Manufacturers Addres			
Category o	Fittings to be registered	Circle one Category only gs, unions, pipe caps, or reducers	Title of the Standard of Construction
C Valves: all line valves D Expansion joints, flexible	e connections, and hose assen	ablies: all types	ASME B31.3-2020
E Strainers, filters, separar	tors, and steam traps	auges, sight glasses, levels, or pressure	
G Certifled capacity-rated	pressure relief devices accepta s, piping and fusible plugs	ble as primary over pressure protection	on
H Pressure retaining comp	conents that do not fall into one	of the above categories	
N Nuclear components: (Class 1 Class 2 Class 3	☐ , (Meeting CNSC or ASME requirements as it will appear on the product	
Ottow Manufacturers !	dame, trademark, or Logo	as it will appear on the product	Type of Construction Forged - Welded - Wrought -
4	KIMD		Cast Describe other
	A CAROLES		2-3" Low Pressure High Volume (LPHV) Valve
		tion of the actual Items to be regi	
Engineer Drawing		, Material Specification, AP	l Specification Q1 and
100 3001.2013 08	si diloadoris.		
Declaration:			
Dustin Hayt	(see note 3) emplo	byed by Kimray, inc.	and being the person having full authority tion contained in this form is true to the best of
my knowledge represent	s the product for which regis	stration is sought. The dimensions,	materials of construction, pressure temperature
fittings is regulated by a	Quality Control Program wh	ich extends to each plant where fab	I further declare that the manufacture of these rication occurs in whole or in part and has been
verified by 150 9001:2015 believing it to be true, and	as bei d knowing)thair it is of the st	ng suitable for that purpose and I ma Ime force and effect as if made unde	ake this solemn declaration conscientiously er oath.
Signature of Declarer:	Martin Land	-	
Declared before me at	Kimeni Oh	lahone City, Oh	, USA
This 31 day of	May AD	2022 Use	this space for the official wast
Commissioner of Oaths Or Notary Public: (sign)	NIOO LOK	Maha	ALLO OLICA OLICA
Of Notary Fublic. (sight)	(Affix Official seal to the rigi	nt)	A STATE OF THE STA
		ols space for Regulatory Authority use. revalidated after ten (10) years from the	dolf of afficience
CRN: 0C22175.2		revalidated after tell (10) years from the	NENI OF
FID#:2908			
Notes:		ner.	
	tered in the name of the Manufact. supported with two Statutory Decla		2
and one copy of support		CRN_	0C22175.2Y
responsibility for the qua	lity of the end product.	\ \ DAT	E_06/24/2022
Soone: Law proceure his	s shall be resubmitted for validation in volume dump valve. 2" to 3 sig), 2" to 3"NPT (500psi) @	3" Flg. -20F to 450F	Sect 1.0 - Fittings Rev.2
11/2016 A395 60-40-	18	60	

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Name:	Kimrey, Inc.		
Manufacturers Address			
Plant Locations: Ottahon Category of A Pipe fittings, including of B Flanges: all flanges	Fittings to be registered.	Circle one Category only is, unlors, pipe caps, or reducers	Title of the Standard of Construction
C Valves: all line valves D Expansion joints, flexible E Strainers, filters, separat	connections, and hose assert ors, and alearn traps		ASME B31.3-2020
F Measuring devices, inclu	ding pressure gauges, level go	ruges, aighi glasses, levels, or pressure	
bollers, pressure vessels	ressure rener devices acceptal , piping and fusible plugs onents that do not fall into one	ble as primary over pressure protection or of the above categories	
N Nuclear components: C	ilesa 1 🗆 Class 2 🗀 Class 3	, (Meeting CNSC or ASME requirement	
Show Manufacturers N	ame. Trademark, or Logo	se it will appear on the product	Type of Construction Forged o Welded o Wrought o Cast o Other II Describe other:
	H PHENING!	PATERIA O	2-3" Low Pressure High Volume (LPHV) Valve
List of supporting docu	imentation and identifica	tion of the actual items to be regis	ered:
Engineer Drawing, ISO 9001:2015 Ce	ASME Calculations, rtifications.	Material Specification, API	Specification Q1 and
my knowledge represents ratings, and identification i fittings is regulated by a Q verified by 150,00012016.	quality of the end product do the product for which regis markings are in accordance uality Control Program which as bein	tration is sought. The dimensions, m with the herein named standards. I th extends to each plant where fabric a suitable for that purpose and I make	and being the person having full authority in contained in this form is true to the best of ateriels of construction, pressure temperature further declare that the manufacture of these ation occurs in whole or in part and has been a this solemn declaration conscientiously
	knowing that it is of the gar	ne force and effect as if made under	ceth.
Signature of Declarer:	Apstr Xay	Lahorn City, Oh,	IICA UNIDE
This day of	Mary AD 7		s space for the official Seat
Commissioner of Oaths Or Notary Public: (sign)	NiColar	dsborn	Se Contract
	(Affix Official seal to the right	, 70	-
		space for Regulatory Authority use. evalidated after ten (10) years from the da	to all annual to
CRN: 0C22175.2		Symmetry entit (10) Apers trait nie de	ite di acceptation.
FID#: 2908			
Notes:			
	red in the name of the Menutacture pported with two Statutory Declara	/ Northwee	ories
	ande by the person having full auth		TERED JUTHORITY OF
Scope: Low pressure high	hall be resubmitted for velidation, volume dump valve. 2" to 3" g), 2" to 3"NPT (500pel) @ -2 32032 (DG)	THE BOILER A VESSI	ND PRESSURE Sect 1 - Fittings Rev.2 EL ACT.
		SIGNED	B
		DATE J	163.00
			103.00

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Isla Northwest Territorio		ewfoundland and Labrador	
Manufacturers Name: Kimrey, Inc. Manufacturers Address: 52 N.W 42nd Street Plant Locations: Ottahone City, OK					
A Pipe fittings, including of	of Fittings to be registe	rad. Circle one Category plugs, unions, pipe caps, or n	only educers	Title of the Standard of Construction	
E Strainers, filters, separar Measuring devices, incl transmitters G Certifled capacity-rated bollers, pressure vessel	uding pressure gauges, lev pressure relief devices acc is, piping and fusible plugs	ssemblies: all types rel gauges, sight glasses, level eptable as primary over press one of the above catagories		ASME B31.3-2020	
N Nuclear components:	Class 1 [] Class 2 [] Cla	as 3 🗆 . (Meeting CNSC or A	SME requirements)		
	KM	ogo as it will appear on t		Type of Construction Forged D Welded D Wrought D Cast D Other & Describe other: 2-3" Low Pressure High Volume (LPHV) Vatve	
	, ASME Calculation	ification of the actual item ons, Material Specific			
my knowledge represent ratings, and identification fittings is regulated by a (verified by 190 00012015	quality of the end product in product for which is markings are in accord quality Control Program d knowing that it is of the	registration is sought. The ance with the herein name which extends to each pla being suitable for that purparame force and effect as 2022	the information of dimensions, mate a standards. I furnit where fabrications and I make the firmade under out		
This space for Regulatory Authority was This registration must be reveiled after ten (10) years and the late of acceptance UNAVUT					
Each Category shall be and one copy of support The Declaration shall be responsibility for the qual Quality Control programs	tered in the name of the Manus supported with two Statutory Di ing documentation. made by the person having ful lity of the end product, a shall be resubmitted for valids in volume dump valve, 2" slig), 2" to 3"NPT (500psi)	inclurer, sclaration forms il authority and to 21 Ste	Nunavut	Boilers and Pressure Vessels Act REGISTERED	
			Territo	rial Registration Fee	