ت د.

NEW BRUNSWICK NUNAVUT F	NOVA SCOTIA . YUKON		NEWFOUNDLAND AND LABRADOR	
MANUFACTURERS NAME:	KIMRAY, INC.			
MANUFACTURERS ADDRES	S: 52 N.W 52nd Street	Okłahoma City, OK 73118 USA		
PLANT LOCATIONS:	Oklahoma City .	31.		
CATEGORY OF FIT	UNGS TO BE REGISTERED, C	CIRCLE ONE CATEGORY ONLY	LITLE OF THE STANDARD OF CONSTRUCTION	
A Pipe fittings, including coupl B Flangos: all flanges C Valves: all line valves D Expansion joints, flexible co E Strainers, filters, separators F Measuring devices, including pressure transmitters G Certified capacity-rated presoluters, pressure vessels, p	ings, tees, elbows, Ys, plugs, un nnections, and hose assemblies and steam traps g pressure gauges, level gauges	clons, pipe caps, or reducers: c all types d alght glasses, levels, or s primary over pressure protection on	ASME B16.34-2013	
N Nuclear components: Class	1 □ Class 2 □ Class 3 □. (N	deeting CNSC or ASME requirements)		
SHOW MANUFACTURERS NA	ME, TRADEMARK, OR LOGO	AS IT WILL APPEAR ON THE PRODUCT	There are no INT	
ŀ	(IMRAY		FORGED O WELDED O WROUGHT O CARY O OTHER O DESCRISE OTHER: 1-2" HPCV VALVE ASSY (Plug Series)	
LIST OF SUPPORTING DOC	MENTATION AND IDENTIFICA	ATION OF THE ACTUAL ITEMS TO BE RE	CISTERED:	
Drawings CRN071114 Ray CRN071114-2S Rev A-01,	v A-01, CRN071114-1BOM Rev. CRN071114-2F Rev. A-01, ASM	A-01, CRN071114-1 Rev. A-01, CRN0711 ME Calculations, Quality API Spec Q1 & ISI	14-28OM Rev. A-01, O 9001;2008.	
temperature ratings, and ide manufacture of these fittings or in part and has been verified declaration conscientiously to Signature of Declarer Declared before me at This.	ntification markings are in ac is regulated by a Quality Co led by ASI (Man Qual System) pelle line it to be true, and knowled the interest of the control o	nly declare that the Information contains on is sought. The dimensions, material cordance with the herein named stand introl Program which extends to each process of the same force and extend that it is of the same force and extend the same force and e	ards. I further declare that the plant where fabrication occurs in whole	,
Th:	This sp	aco for Regulatory Authority use		
CRN: 0C15021.2 FID#: 2908	s registration must be revalld	PROVINCE OF PRINENVIRONMENT, L	ABOUR & JUSTICE	
Each category shall be surforms and one copy of support The declaration shall be m responsibility for the quality of	ade by the person having full au the end product. hall be resubmitted for validation	thority and INSPECTION	VICES SECTION VESSEL BRANCHings Rev. 1 05/2003	_

NEW BRUNSWICK NUNAVUT #	NOVA SCOTIA	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	N OF FITTING DESIGNS NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.		
MANUFACTURERS ADDRESS:	52 N.W 52nd Street	Oklahoma City, OK 73118 USA	
PLANT LOCATIONS:	Oklahoma City		• • •
CATEGORY OF FITTH	GS TO BE REGISTERED,	CIRCLE ONE CATEGORY ONLY	TITLE OF THE GYANGLES
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all flanges D Expansion joints, flaxible conn E Strainers, filters, separators, a F Measuring devices, including pressure transmitters G Certified capacity-rated press	gs, tees, elbows, Ya, plugs, un ections, and hose assemblies nd steam traps pressure gauges, level gauge:	ntons, pipe caps, or reducers	LITLE OF THE STANDARD OF CONSTRUCTION ASME 818.34-2013
H Pressure retaining component	s that do not fall into one of the	ng above calegories	
N Nuclear components: Class 1	□ Class 2 □ Class 3 □, (Meeting CNSC or ASME requirements)	
SHOW MANUFACTURERS NAM	E. TRADEMARK, OR LOGO	AS IT WILL APPEAR ON THE PRODUC	T TYPE OF CONSTRUCTION
K	<u>IMRAY</u>		FORGED WELDED WROUGHT DESCRIBE OTHER: 1-2" HPCV VALVE ASSY (Plug Sarles)
LIST OF SUPPORTING DOCUM	ENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEMS TO BE	REGISTERED:
Drawings CRN071114 Ray 4	-01 CBN071114 1BOM B		
CRN071114-25 Rev A-01, C	RN071114-2F Ray, A-01 AS	. A-01, CRN071114-1 Rev. A-01, CRN07 ME Calculations, Quality API Spec Q1 & I	1114-2BOM Rev. A-01,
temperature ratings, and ident	ification markings are in a singulated by a Quality Cod by ASI (Man Qual System) it to be true, and known the code of the code	nly declare that the information contailon is sought. The dimensions, mater coordance with the herein named star partrol Program which extends to each USO 9001:2008 as being suitable for nowing that it is of the same force and the same force	being the person having full authority and ined in this form is true and to the best of rials of construction, pressure ndards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn is effect as if made under oath. MARIA D. SMITH PODIES, States of Oklahoma phission # 13007228
This	This spread registration must be revail	pace for Regulatory Authority use dated after ten (10) years from the da	No of a constant
CRN: 0C15021.2			
FID#: 2908	_	NOTA SOTIA	REVESS
Notes: 1. All fittings shall be registered. 2. Each category shall be supplorms and one copy of support. 3. The declaration shall be main responsibility for the quality of the Quality control programs shall a maximum interval of five (5).	orded with two Statutory Deci ng documentation. de by the person having full a he end product, all be resubmitted for validatic	uthority and Signed Juanna	ALCOHOLOGO

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.		
MANUFACTURERS ADDRESS:	52 N.W 52nd Street	Oklahoma City, OK 73118 USA	
PLANT LOCATIONS:	Oklahoma City		
CATEGORY OF FITTI	NGS TO BE REGISTERED.	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conn E Strainers, filters, separators, a F Measuring devices, including pressure transmitters	gs, tees, elbows, Ys, plugs, of nections, and hose assemblied and steam traps pressure gauges, level gauge	unions, pipe caps, or reducers	ASME B16.34-2013
boilers, pressure vessels, pip	ng and fusible plugs		
H Pressure retaining component			
		(Meeting CNSC or ASME requirements)	
SHOW MANUFACTURERS NAM	IE, TRADEMARK, OR LOG	O AS IT WILL APPEAR ON THE PRODUCT	
K	<u>IMRAY</u>		FORGED WELDED WROUGHT DESCRIBE OTHER 1-2" HPCV VALVE ASSY (Plug Series)
LIST OF SUPPORTING DOCUM	MENTATION AND IDENTIFI	CATION OF THE ACTUAL ITEMS TO BE R	REGISTERED:
CKNU/1114-2S Rev A-01, C	:RN071114-2F Rev. A-01, A	ev. A-01, CRN071114-1 Rev. A-01, CRN071 SME Calculations, Quality API Spec Q1 & IS	SO 9001:2008
temperature ratings, and iden manufacture of these fittings i or in part and has been verifie	tification markings are in a s regulated by a Quality (ad by ASI (Man Qual System	mnly declare that the information contain ation is sought. The dimensions, materi	dards. I further declare that the plant where fabrication occurs in whole
Signature of Declarer			MARIA D. SMITH
Declared before me at This 25th day of 15	THE DAY AD 2	.014 1 . Com	Sblis, State of Oklahoma mission # 13097226 ssion Expires August 07, 2017
Commissioner of Oaths or Notary Public: (sign)	raisonth	San agreement of the san agree	Brunswick
This		space for Regulatory Authority use alidated after ten (10) years from the dat	DEPT OF PUBLIC SAFETY RESERVED THREE SEL ACT
CRN: 0C15021.2			REGISTRATION ONLY
FID#: 2908			CRN (01/5021,2+
Notes 1. All fittings shall be registere 2. Each category shall be support 3. The declaration shall be man responsibility for the quality of 4. Quality control programs shall a maximum interval of five (!	ported with two Statutory Dec ng documentation. de by the person having full the end product. all be resubmitted for validat	claration authority and	for CHIEF BOILER INSPECTOR BATE: 30 2015 SedBurs Fillings Rev. PVs. 2003
			FITTINGS COMPONENTS

EW BRUNSWICK JUNAVUT :	NOVA SCOTIA . YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.		
MANUFACTURERS ADDRESS:	52 N.W 52nd Street	Oklahoma City, OK 73118 USA	
PLANT LOCATIONS:	Oklahoma City		
CATEGORY OF FITTI	GS TO BE REGISTERED. C	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all flanges D Expansion joints, flexible conn S Strainers, filters, separators, a F Measuring devices, including pressure transmitters G Certified capacity-rated pressure bollers, pressure vessels, pipi H Pressure retaining component N Nuclear components: Class 1	ections, and hose assemblies not steam traps pressure gauges, level gauges are relief devices acceptable and and fusible plugs a that do not fall into one of the Class 2 Class 3 ()	ions, pipe caps, or reducers all types s, sight glasses, levels, or s primary over pressure protection on e above categories Meeting CNSC or ASME requirements)	ASME 816.34-2013
SHOW MANUFACTURERS NAM	E. TRADEMARK, OR LOGO	AS IT WILL APPEAR ON THE PRODUCT	TWO OF TOWN
K	<u>IMRA</u> Y	THE OFFICE ON THE PRODUC	TYPE OF CONSTRUCTION FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER: 1-2" HPCV VALVE ASSY (Plug Series)
LIST OF SUPPORTING DOCUM	ENTATION AND IDENTIFICA	ATION OF THE ACTUAL ITEMS TO BE R	I COLOTEDED.
Drawlngs CRN071114 Rev A CRN071114-2S Rev A-01, C	-01, CRN071114-1BOM Rev. RN071114-2F Rev. A-01, ASI	A-01, CRN071114-1 Rev. A-01, CRN071 ME Calculations, Quality API Spec Q1 & IS	114-2BOM Rev. A-01, SO 9001:2008.
temperature ratings, and ident manufacture of these fittings is or in part and has been verifie	ification markings are in ac regulated by a Quality Co	nly declare that the Information contain on is sought. The dimensions, materic cordance with the herein named standard Program which extends to each ISO 9001:2008 as being suitable for lowing that it is of the same force and	dards. I further declare that the plant where fabrication occurs in whole
or Notary Fublic. (sign)	This ap	ace for Regulatory Authority use	
THE SHARE THE PROJECT OF STATE	registration must be revailed	dated after ten (10) years from the dat	e of acceptance.
CRN: 0C15021.2	***		Newforkidland
FID#: 2908			Labrador Service NL
Notes: 1. All fittings shall be registered. 2. Each category shall be supplorms and one copy of supporting. 3. The declaration shall be made responsibility for the quality of the Quality control programs shall a maximum interval of five (5).	orted with two Statutory Deciang documentation. de by the person having full at the end product. all be resubmitted for validation	aration uthority and	Registered OCISO21.20 Date 15/0/30 Engineering and Inspection Services Registered by - 9 UNDER THE AUTHORITY OF THE PUBLIC SAFE TY INT ASO THE BOXESPLETE'S FURINGS REVELL OF DOOS COMPRESSED GAS REGILLATIONS

NEW BRUNSWICK NUNAVUT \$	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.		
MANUFACTURERS ADDRESS:	52 N.W 52nd Street	Oklahoma City, OK 73118 USA	
PLANT LOCATIONS:	Oklahoma City		
CATEGORY OF FITTH	NGS TO BE REGISTERED.	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Flanges; all flanges C Valves: all line valves D Expansion joints, flexible conn E Strainers, filters, separators, a Measuring devices, including pressure transmitters Certifled capacity-rated pressure boilers, pressure vessels, pipl H Pressure retaining component N Nuclear components: Class 1	gs, tees, elbows, Ys, plugs, ections, and hose assembli nd steam traps pressure gauges, level gaugure relief devices acceptable ng and fusible plugs s that do not fall into one of Class 2 Class 3 C,	es: all types es, sight glasses, levels, or as primary over pressure protection on the above categories (Meeting CNSC or ASME requirements)	ASME B16.34-2013
SHOW MANUFACTURERS NAM	E, TRADEMARK, OR LOG	O AS IT WILL APPEAR ON THE PROD	
K	<u>IMRAY</u>		FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER: 1-2" HPCV VALVE ASSY (Plug Series)
LIST OF SUPPORTING DOCUM	MENTATION AND IDENTIF	CATION OF THE ACTUAL ITEMS TO B	E REGISTERED:
temperature ratings, and ident	ification markings are in	annly declare that the information con ation is sought. The dimensions, ma accordance with the herein named so control Program which extends to ea at ISO 9001:2008 as being suitable knowing that it is of the same force a	tandards. I further declare that the ich plant where fabrication occurs in whole for that purpose and I make this solemn and effect as if made under oath. MARIA D. SMITH
This 25th day of 15th Commissioner of Oaths Wor Notary Public: (sign)	110 1	014	ly IP Gblis, State of Wklahome omnission # 13007226 Imission Expires August 07, 2017
	This	space for Regulatory Authority use	
This	registration must be reva	lidated after ten (10) years from the	date of acceptance
CRN: 0C15021.2 FID#: 2908		60	BY TO SILVEN
Notes: 1. All fittings shall be registered. 2. Each category shall be supplorms and one copy of supporting. 3. The declaration shall be more responsibility for the quality of the Quality control programs shall a maximum integral of five (5).	orted with two Statutory Dec ng documentation. de by the person having full ne end product.	claration (DATE 2/9/15

Sect. 1.0 - Fittings Rev. 1 06/2003

at a maximum interval of five (5) years

at a maximum interval of five (5) years,

EW BRUNSWICK UNAVUT #			NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.		
MANUFACTURERS ADDRESS:	52 N.W 52nd Stroat Oklahom	a City, OK 73118 USA	
PLANT LOCATIONS;	Oklahoma City		
	GS TO BE REGISTERED, CIRCLE ON		TITLE OF THE STANDARD OF CONSTRUCTION
B Flanges: all flanges C Valves: all filne volves D Expansion Joints, flexible conn E Strainers, filters, soparators, a F Massuring devices, including p pressure transmitters G Conified capacity-rated pressu bollers, pressure vessels, pipi H Pressure retaining component N Nuclear components: Class 1	iresaure gauges, level gauges, alght glass ire relief devices acceptable as primary over ng and (usible plugs a that do not fall into one of the above cate Class 2 Class 3 C. (Meeting CNS)	es, lavals, ar ver pressure protection on egories	ASME B16.34-2013
HOW MANUFACTURERS NAM	E. TRADEMARK, OR LOGO AS IT WILL	APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
K	<u>IMRAY</u>		FORGED WELDED WROUGHT D CAST DOTHER D DESCRIBE OTHER: 1-2" HPCV VALVE ASSY (Plug Sories)
LIST OF SUPPORTING DOCUM	ENTATION AND IDENTIFICATION OF	HE ACTUALITEMS TO BE RE	EGISTERED:
,	a		
temperature ratings, and iden manufacture of these fittings is or in part and has been verifie	infloation markings are in accordance a rigulated by a Quality Control Program by ASI (Man Qual System) ISO 9001:20 by ASI	that the information contain the int. The dimensions, material with the herein named standard with the herein named to each ram which extends to each ram which is the same force and ram is the same fo	dards. I further declare that the plant where fabrication occurs in whole
V seementary record to be a	This space for Re registration must be revalidated after	gulatory Authority use r ten (10) years from the dat	e of acceptance
CRN: 0C15021.2 FID#: 2908	720		Northwest Territories REGISTERED
Each category shall be sup forms and one copy of support	id in the name of the Manufacturor. portod with two Statutory Dociaration ling documentation. ade by the person having full authority and	UNDER THE BO	THE AUTHORITY OF DILER AND PRESSURE VESSEL ACT.

INAVUT /	NOVA SCOTIA YUKON	PRINCE EDWARD IS NORTHWEST TERR		NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.			
MANUFACTURERS ADDRESS	52 N.W 52nd Street	Oklahoma City, OK	73118 USA	
PLANT LOCATIONS:	Oklahoma City			
CATEGORY OF FITT	INGS TO BE REGISTERED.	CIRCLE ONE CATEGOR	RYONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling Flanges: all flanges C Valves: all line valves C Expansion joints, flexible con Strainers, filters, separators, fleasuring devices, including pressure transmitters C Certified capacity-rated presboilers, pressure vessels, pi	nnections, and hose assemblies and steam traps pressure gauges, level gauges sure relief devices acceptable a	s: all types s, sight glasses, levels, o	ŗ	ASME B16.34-2013
Pressure retaining compone	nts that do not fall into one of the			
N Nuclear components: Class	1 🗆 Class 2 🗆 Class 3 🗀, (Meeting CNSC or ASME	requirements)	
HOW MANUFACTURERS NA	ME, TRADEMARK, OR LOGO	AS IT WILL APPEAR	N THE PRODUCT	TYPE OF CONSTRUCTION
P	(IMRAY			FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER: 1-2" HPCV VALVE ASSY (Plug Series)
LIST OF SUPPORTING DOCL	MENTATION AND IDENTIFIC	ATION OF THE ACTUA	LITEMS TO BE P	EGISTERED:
	CRN071114-2F Rev. A-01, AS	ъм∈ Calculations, Qualit	y API Spec Q1 & IS	GO 9001:2008.
temperature ratings, and ide manufacture of these fittings or in part and has been verif	entification markings are in a in is regulated by a Quality C fied by ASI (Man Qual System	only declare that the intion is sought. The diaccordance with the he control Program which in ISO 9001:2008	formation containmensions, materiarein named stan- extends to each being sultable for same force and	eing the person having full authority and the in this form is true and to the best of als of construction, pressure dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath. MARIA D. SMITH
This 25th day of f Commissioner of Oaths or Notary Public: (sign)	Maries nuts	01+	1) Com	Gblis, State of Oklahoma Imission # 13007226 isroh Expires August 07, 2017
Th CRN: 0C15021.2 FID#: 2908	This s is registration must be reval	space for Regulatory Aut lidated after ten (10 y	Nuñavut	NUNAVUT Boilers and Pressure Vessels Act
Each category shall be surforms and one copy of supports. The declaration shall be responsibility for the quality.	made by the person having full of the end product. shall be resubmitted for validat	cturer, claration (authority and	Date <u>JA</u>	1502/.2 M -N.30, 20/5 Wild A. Chief Inspector Sect. 1.0-Fittings Rev. 1.06/20/
		1	remitor	ial Registration Fee