at a maximum interval of five (5) years.

.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

Unit Unit Unit	TORT DECEMBENT	TORMITOR THE REGISTR	ATION OF FITTING DESIGNS
NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME;	Kimray, Inc.		
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118	U.S.A (405) 525-8601
PLANT LOCATIONS:	Okiahoma City		
CATEGORY OF FITTIN	NGS TO BE REGISTERED, C	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
 A Pipe fittings, including coupling B Flangos: all flanges Valves: all line valves Expansion joints, flaxible conn E Strainors, filters, separators, a F Measuring davices, including p pressure transmitters G Cortified capacity-rated pressure boilers, pressure vassels, pipi H Pressure retaining component 	gs, lees, elbows, Ys, plugs, un ectione, and hose assemblies nd staam traps pressure gauges, level gauges ure relief devices acceptable a ng and fusible plugs s that do not fall into one of th	nions, pipe caps, or reducers : all lypoa ;, sight glasses, levels, or is primary over pressure protection o	ASME 831.3-2012
		AS IT WILL APPEAR ON THE PR	
5 X		ATION OF THE ACTUAL ITEMS TO D515-CODE Rev. A-04; ASME Calc	FORGED D WELDED D WROUGHT D CAST D OTHER D DESCRIBE OTHER: Valve Ounces Pliot Assy. O BE REGISTERED: culations, and Quality API Q1 & ISO 9001:2008.
	•		
my knowledge represents the temperature ratings, and ident manufacture of these fittings is or in part and has been verifie	the end product do solemn product for which registrati ification markings are in ac s regulated by a Quality Co d by ISO 9001:2008	nly declare that the information of ion is sought. The dimensions, ccordance with the herein name ontrol Program which extends to as being suitab	and being the person having full authority contained in this form is true and to the best materials of construction, pressure ed standards. I further declare that the beach plant where fabrication occurs in who be for that purpose and I make this solemn ce and effect as if made under oath.

This space for Regulatory This registration must be revailedated after ten (10	
CRN:OC16234.2 Add.2	ACCEPTED . PROVINCE OF PRINCE EDWARD ISLAV COMMUNITIES, LAND & ENVIRONMENT
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the and product. 4. Quality control programs shall be resubmitted for validation	C.I.N. OC (G) 34 29 Add DATE: Fel- 29/6 INSPECTION SERVICES SECTION BOILER STRESSURE VESSEL BRANCH

Sect. 1.0 - Fittings Rev. 1 06/2003

	UNIFORM STATU	TORY DECLARATION	FORM FOF	THE REGISTR	ATION O	F FITTING	DESIGNS
	V BRUNSWICK IAVUT	NOVA SCOTIA YUKON	PRINCE ED	WARD ISLAND			D AND LABRADOR
M	ANUFACTURERS NAME:	Kimray, Inc.					
M	ANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma C	lly, OK 73118	U.S.A (4	05) 525-6601	
PL	ANT LOCATIONS:	Oklahoma City					
-	CATEGORY OF FITTH	GS TO BE REGISTERED.	CIRCLE ONE C	ATEGORY ONLY		TITLE OF THE ST	ANDARD OF CONSTRUCTION
BCDmr C	Pipe fittings, including coupling Flanges: all flanges Valves: all flanges Expansion joints, flexible conn Strainers, filters, separators, a Measuring devices, including p pressure transmitters Certified capacity-rated press boilers, pressure vessels, pip Pressure retaining component	ections, and hose assemblies nd steam traps pressure gauges, level gauge ure relief devices acceptable ng and fusible plugs	s: all types s, sight glasses as primary over	, levela, or pressure protection		ASME B31.3-:	2012
	Nuclear components: Class 1				nts)		
_	IOW MANUFACTURERS NAM					TYPE	OF CONSTRUCTION
		KIMR	AY				DED D WROUGHT D HER D R:
L	IST OF SUPPORTING DOCUM	MENTATION AND IDENTIFIC	ATION OF TH	E ACTUAL ITEMS T	O BE REG	STERED:	
	Kimray Drawings CRN030515			ev. A-04, Abivie Cali	culations, a		GT & ISO 9001:2008.
re m te m dr dr S D T	ECLARATION: Thomas Hill sponsibility for the quality of y knowledge represents the mperature ratings, and iden anufacture of these fittings i in part and has been verific action conscientiously b lignature of Declarer: eclared before me at his <u>1.9 4</u> day of commissioner of Oaths r Notary Public: (sign)	product for which registra tification markings are in a s regulated by a Quality C ad by ISO 9001:2008 alleving it to be true, and k OKIAhoma (anuary AD	Inition is sought accordance with control Progra mowing that it Didy 2014	at the information . The dimensions, th the herein name m which extends to as being suita is of the same for U S E	contained , materials ed standar o each pla bble for tha ce and effor T Hun standar O Iuman	In this form of construct ds. I further on t where fab t purpose an	on, pressure declare that the rication occurs in whole d I make this solemo
	ты			atory Authority use	the states		
		registration must be reva		en (10) years from	SSURF	acceptance	2,
	CRN: 0C16234.2 F,ID#: 2908	<u>A</u> dd.2		C.R.N. OCIG	500TLA	SADDA	•
	Notes: 1. All fittings shall be register 2. Each category shall be sup forms and one copy of suppor 3. The declaration shall be m responsibility for the quality of 4. Quality control programs s at a maximum interval of five	ported with two Statutory De ting documentation. ade by the person having full the end product. hall be resubmitted for validat	claration authority and	Dwg. <u>CRNO 30</u> Signed		A-04 erry	I.0 - Fillings Rev. 1 06/2003

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Kimray, Inc.		
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118 U.S	S.A (405) 525-6601
PLANT LOCATIONS:	Oklahoma City		
 A Pipe fittings, including couplin B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conr E Strainers, filters, separators, a F Measuring devices, including pressure transmitters G Certified capacity-rated press boilers, pressure vessels, pip H Pressure retaining component 	gs, tees, elbows, Ys, plugs, un nections, and hose assemblies: Ind steam traps pressure gauges, level gauges ure relief devices acceptable a ing and fusible plugs ts that do not fall into one of the	all types , sight glasses, levels, or s primary over pressure protection on	TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.3-2012
SHOW MANUFACTURERS NAM	E, TRADEMARK, OR LOGO	AS IT WILL APPEAR ON THE PRODU	CT TYPE OF CONSTRUCTION
	KIMR	<u>AY</u>	FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER: Valve Ounces Pilot Assy.
LIST OF SUPPORTING DOCUM	ENTATION AND IDENTIFICA	TION OF THE ACTUAL ITEMS TO BE	REGISTERED:
	, .	515-50DE REV. A-04, ASME Calculatio	ons, and Quality API Q1 & ISO 9001:2008.
my knowledge represents the temperature ratings, and ident manufacture of these fittings is or in part and has been verified declaration conscientiously be Signature of Declarer: Declared before me at This <u>1.94</u> day of <u>1.944</u> commissioner of Oaths or Notary Public: (sign)	product for which registration ification markings are in ac s regulated by a Quality Co d by ISO 9001:2008 Highing it to be true, and kn ANAANA AD ANAANA AD ANAANA AD ANAANA AD ANAANA AD ANAANA AD ANAANA AD ANAANA AD ANAANA AD ANAANA AD ANAANA AD ANAANA AD ANAANA AD ANAANA ANAANA AD ANAANA ANAANA ANAANA ANAANA ANAANA ANAANA	ly declare that the information conta on is sought. The dimensions, mate cordance with the herein named sta ntrol Program which extends to eac	Andards. I further declare that the h plant where fabrication occurs in whole or that purpose and I make this solemn d effect as if made under oath.
0.01(00) 0		ared and though the source	Porsbeendere.
CRN: 0C16234.2 FID#: 2908 Notes: 1. All fittings shall be registered 2. Each category shall be supp	 d in the name of the Manufactu	ration for	16234.27 Add. 2 - Curr
forms and one copy of supporti 3. The declaration shall be ma responsibility for the quality of t 4. Quality control programs sh at a maximum interval of five (5	ng documentation. de by the person having full au he end product. all be resubmitted for validation	thority and DATE:	29/20/6 PVs Sect. 1.0 - Fittings Rev. 1 06/2003
		🕅 FITTINGS	COMPONENTS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Kimray, Inc.		
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118 U	.S.A (405) 525-6601
PLANT LOCATIONS;	Oklahoma City		24
CATEGORY OF FITTI	NGS TO BE REGISTERED. C	IRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
bollers, pressure vessels, pip H Pressure retaining component	ections, and hose assemblies: ind steam traps pressure gauges, level gauges, ure relief devices acceptable a: ing and fusible plugs ts that do not fall into one of the	all types sight glasses, levels, or s primary over pressure protection on	ASME B31.3-2012
		AS IT WILL APPEAR ON THE PRODI	UCT TYPE OF CONSTRUCTION
·	KIMR		FORGED D WELDED D WROUGHT D CAST D OTHER D DESCRIBE OTHER: Valve Ounces Pilot Assy.
LIST OF SUPPORTING DOCU	MENTATION AND IDENTIFICA	TION OF THE ACTUAL ITEMS TO B	E REGISTERED:
			tions, and Quality API Q1 & ISO 9001:2008,
my knowledge represents the temperature ratings, and iden manufacture of these fittings or in part and has been verifie	product for which registrati tification markings are in ac s regulated by a Quality Co ad by <u>ISO 9001:2008</u> elieving it to be true, and kn	ly declare that the information con on is sought. The dimensions, ma cordance with the herein named s introl Program which extends to ea	tandards. I further declare that the tandards. I further declare that the sch piant where fabrication occurs in whole for that purpose and I make this solemn and effect as if made under oath.
This <u>192</u> day of Commissioner of Oaths or Notary Public: (sign)	She Gans		
This CRN: 0C16234.2 FJD#: 2908 Notes: 1. Ali fittings shall be registore	Add.2 Add.2 ad in the name of the Manufact ported with two Statutory Deck ting documentation.	aration	datè of acceptance to Newformoland Labrador Service NL Registered 01/10/234.20 Apro 2 Date 10/01/29 Engineering and Inspection Services Registered to

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEV	VFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Kimray, Inc.	· · · · · · · · · · · · · · · · · · ·		
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma Clty, OK 73118	U.S.A (4	05) 525-6601
PLANT LOCATIONS:	Oklahoma City			
		CIRCLE ONE CATEGORY ONLY		ITLE OF THE STANDARD OF CONSTRUCTION
boilers, pressure vessels, pipi H Pressure retaining component	ections, and hose assemblie nd steam traps pressure gauges, level gauge are relief devices acceptable ng and fusible plugs s that do not fall into one of ti	s: all types s, sight glasses, levels, or as primary over pressure protection o	on	ASME B31.3-2012
		AS IT WILL APPEAR ON THE PRO		
SHOW WANDERS I OKEKS NAW	KIMR	AS IT WILL APPEAR ON THE PRO	F	TYPE OF CONSTRUCTION ORGED UNELDED WROUGHT UNAST OTHER DESCRIBE OTHER: alve Ounces Pilot Assy.
LIST OF SUPPORTING DOCUM	IENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEMS TO	O BE REGI	STERED:
	,	0515-CODE Rev. A-04; ASME Calc	ulations, an	d Quality API Q1 & ISO 9001:2008.
my knowledge represents the temperature ratings, and ident manufacture of these fittings is or in part and has been verifie	product for which registra ification markings are in a s regulated by a Quality C d by ISO 9001:2008	Inly declare that the information of tion is sought. The dimensions, accordance with the herein name ontrol Program which extends to	contained i materials (ed standard e each plan ble for that ce and effe	is. I further declare that the t where fabrication occurs in whole purpose and I make this solemn
This		pace for Regulatory Authority use idated after ten (10) years from t	the date of	acceptance.
CRN: 0C16234.2 FID#: 2908 Notes: 1. All fittings shall be registere 2. Each category shall be supp forms and one copy of support 3. The declaration shall be man responsibility for the quality of 4. Quality control programs shall at a maximum interval of five (state)	Add.2 d in the name of the Manufac borted with two Statutory Dec ing documentation. de by the person having full the end product. all be resubmitted for validat	sturer. crn. <u>OC16</u> DATE 20 authority and	6234.2YA	NOT 2

	NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
	MANUFACTURERS NAME;	Kimray, Inc.		
	MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118 U.S	S.A (405) 525-6601
ſ	PLANT LOCATIONS:	Oklahoma City		
I		IGS TO BE REGISTERED. CI	RCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
	 A Pipe fittings, including coupling B Flanges: all flanges C Valvos: all line valves D Expansion joints, flexible conn E Strainers, filters, separators, an F Measuring devices, including p pressure transmitters G Certified capacity-rated pressure boilers, pressure vessels, pipin H Pressure retaining components 	is, tees, elbows, Ys, plugs, unic actions, and hose assemblies: of steam traps ressure gauges, level gauges, s re relief devices acceptable as ig and fusible plugs a that do not fail into one of the	na, pipe caps, or reducers all types sight glasses, levels, or primary over pressure protection on	ASME B31.3-2012
ř	SHOW MANUFACTURERS NAM	E TRADEMARK ORLOCOA	S IT WILL APPEAR ON THE PRODUC	
		KIMR		T TYPE OF CONSTRUCTION FORGED U WELDED U WROUGHT U CAST U OTHER DESCRIBE OTHER; Valve Ounces Pilot Assy.
ſ	LIST OF SUPPORTING DOCUM	ENTATION AND IDENTIFICAT	ION OF THE ACTUAL ITEMS TO BE	REGISTERED
				ns, and Quality API Q1 & ISO 9001:2008.
	temperature ratings, and Identii manufacture of these fittings is or in part and has been verified declaration conscientiously bei Signature of Declarer:	ication markings are in accorregulated by a Quality Cont by ISO 9001:2008 entropy it to be true, and know What a cont oklahema Ci huary AD 20 Shy Lancs	declare that the Information contains on the sought. The dimensions, material states are sought. The dimensions, material states are sought and the herein named states are solved as being suitable for as being suitable for ving that it is of the same force and the same force are solved as the same force are solved as being suitable for an are solved as being suitable for are solved as being subscripts as being subscr	idards, I further declare that the plant where fabrication occurs in whole
	This re CRN: 0C16234.2 # FID#: 2908 Notes: 1. All filtings shall be registered 2. Each category shall be supporting 3. The declaration shall be made responsibility for the quality of the 4. Quality control programs shall at a maximum interval of five (5)	agistration must be revalidat a d d . 2 	C.R.N. OC	THE AUTHORITY OF LER AND PRESSURE ESSEL ACT. 2162352 AU12T

Tri0578730117 # 5/ 15 Tri0578730117

01-29-16;00:16 ;From:

,

÷

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISL NORTHWEST TERRIT		NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Kimray, Inc.			
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 7	3118 U.S.A	(405) 525-6601
PLANT LOCATIONS:	Oklahoma City			
CATEGORY OF FITTI A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conn E Strainers, filters, separators, a F Measuring devices, including p pressure transmitters G Certified capacity-rated pressi bollers, pressure vessels, pipi H Pressure retaining component	ections, and hose assemblies: nd steam traps pressure gauges, level gauges, ure relief devices acceptable as ing and fusible plugs	ons, pipe caps, or reduct all types sight glasses, levels, or s primary over pressure p	ars	IITLE OF THE STANDARD OF CONSTRUCTION ASME B31.3-2012
N Nuclear components: Class 1		-	requirements)	
SHOW MANUFACTURERS NAM	E. TRADEMARK, OR LOGO	AS IT WILL APPEAR O	N THE PRODUCT	IVPE OF CONSTRUCTION FORGED U WELDED U WROUGHT U CAST U OTHER U DESCRIBE OTHER: Valve Ounces Pllot Assy.
LIST OF SUPPORTING DOCUM	MENTATION AND IDENTIFICA	TION OF THE ACTUAL	ITEMS TO BE RE	GISTERED:
DECLARATION: Thomas Hill responsibility for the quality of my knowledge represents the temperature ratings, and iden manufacture of these fittings i or in part and has been verified declaration conscientiously be Signature of Declarer: Declared before me at This <u>1.9</u> day of Commissioner of Oaths or Notary Public: (sign)	(are note 3) employed b the end product do solemn product for which registrati tification markings are in ac s regulated by a Quality Co ed by ISO 9001:2008 alieving it to be true, and kn (3K)ahoma (1 anuary AD 2 Su yams	y Klmrav. Inc. Ily declare that the information is sought. The dimensional sought. The dimensional sought is solved as become that it is of the source for Regulatory Automatical Source Formatical Source for Regulatory Automatical Source for Re	and be ormation contain- tensions, materia rein named stand extends to each p sing suitable for t same force and e U S E T Hull A	lards. I further declare that the plant where fabrication occurs in whole hat purpose and I make this solemn affect as if made under oath. USE GRA 0770000000 COLORATION
CRN: <u>0C16234.2</u> F ₄ ID#: <u>2908</u> Notes: 1. All fittings shall be registere 2. Each category shall be sup forms and one copy of support 3. The declaration shall be ma responsibility for the quality of	registration must be revalle A d d . 2	dated after ten (10) yi urer. aration uthority and	Nunavut	Boilers and Boilers and Pressure Vessels Act REGISTERED 2/6234:2/VAdd2 20/6 20/6 Chief fiftspectfoltings Rev. 1 06/2003
			Territo	rial Registration Fee