EW BRUNSWICK	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORI) IES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Kimray, Inc.			```````````````````````````````````````
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahomo Clty, OK 73118	U.S.A	(405) 525-6601
PLANT LOCATIONS:	Oklahoma City			
CATEGORY OF FITTIN		CIRCLE ONE CATEGORY ON	JLY	TITLE OF THE STANDARD OF CONSTRUCTION
 A Pipo fittings, including coupling B Flanges: all flanges Walves: all flanges Walves: all line valves D Expansion joints, flexible conn E Strainera, filters, separators, a F Measuring devices, including p pressure transmitters G Certified capacity-rated pressure bollera, pressure vessels, pipi H Pressure reteining component 	is, tees, elbows, Ys, plugs, ections, and hose assembl nd steam traps ressure gauges, level gau ire rollof devices acceptabl ng and fusible plugs	unions, pipe caps, or roducers lies: all typos ges, sight glasses, lavels, or la ps primary over pressure prote		ASME B31.3-2012 & B18,42-2011
N Nuclear components: Class 1		Meeting CNSC of ASME const		
SHOW MANUFACTURERS NAM				
	KIMI	RAY		IXPEOE CONSTRUCTION PORGED D WELDED D WROUGHY D CAGY D OTHER D DESCRIBE OTHER; 2-6" Duclile Balanced Valves
LIST OF SUPPORTING DOCUM	AGNITATION AND INCLUSIO			
my knowledge represents the temperature ratings, and ideni	product for which regist dification markings are in s regulated by a Quality d dy , ISO 9001:2008	emnly doclare that the Informa ration is sought. The dimens a accordance with the herein Control Program which exter as being	ation contain ions, materia nemed stand nde to each p sultable for t	lards, i further declare that the plant whore fabrication occurs in whole hat nurness and i make this seleme
Signature of Declarer: Declared before me at This <u>3'</u>	Jahama C		E T JUNE C	
This CRN: <u>0C15804.2</u> FID#: <u>2908</u> Notes: 1. All fittings shall be registered 2. Each category shall be supp forms and one copy of support 3. The declaration shall be ma responsibility for the quality of t 4. Quality control programs sh	d in the name of the Manuf borted with two Statutory D ng documentation. de by the person heving fu he end product.	ecturer.	Trom the date ACCES OF PRINC MENY, LA CONTRACTOR	A of acceptance. PTED E EDWARD ISLAND BOUR & JUSTICE BOSA. 27 CAL TCES SECTION VESSEL BLANCY Sect. 1.0 - Fittings Rev. 1 06/2003

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND		NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Kimray, Inc.			· · · · · · · · · · · · · · · · · · ·
MANUFACTURERS ADDRESS	: 52 N.W 42nd Street	Oklahoma City, OK 73118	U.S.A	(405) 525-6601
PLANT LOCATIONS:	Oklahoma Cliy			
CATEGORY OF FITT	INGS TO BE REGISTERE	D. CIRCLE ONE CATEGORY ON	LY	TITLE OF THE STANDARD OF CONSTRUCTION
 A Pipe fittings, including coupli B Flanges: all flanges C Valves: all flanges D Expansion joints, flexible cor E Strainers, filtars, separatora, F Measuring devices, including pressure transmitters G Certified capacity-railed press bollers, pressure vessels, pi H Pressure retaining compone 	nections, and hose assem and steam traps pressure gauges, level ga sure relief devices accepta ping and fusible plugs	blies: all types ugea, sight glasses, levels, or ble as primary over prassure prote	ction on	ASME B31.3-2012 & B16.42-2011
		긔, (Meeting CNSC or ASME requi	rements)	
SHOW MANUFACTURERS NA	ME, TRADEMARK, OR L	OGO AS IT WILL APPEAR ON TH	E PRODUC	T TYPE OF CONSTRUCTION
	KIM	RAY		FORGED D WELDED D WROUGHT D CAST D OTHER D DESCRIBE OTHER: 2-6" Ductile Balanced Valves
		(IFICATION OF THE ACTUAL ITE 103014-2,3,4,6 Rev. A-02; ASME		REGISTERED:
.my knowledge represents to temperature ratings, and ld manufacture of these fitting or in part and has been ver	of the end product do s he product for which reg entification markings are is is regulated by a Qual ified by , ISO 9001:2008	istration is sought. The dimension of accordance with the herein ity Control Program which extends to being as being	ation conta sions, mate named sta nds to eact sultable fo ne force an	being the person having full authority an lined in this form is true and to the best o rials of construction, pressure indards. I further declare that the h plant where fabrication occurs in whole or that purpose and 1 make this solemn d effect as if made under oath.

Declared before me at USE E - F. Co This 3rd day of ጎAD 301 9 R A 3 1 S. A. A. Commissioner of Oaths are s or Notary Public: (sign) This space for Regulatory Authority-use This registration must be revalidated after ten (10) years from the date of acceptance. CRN: 0C15804. - 2 FID#: 2908 C.R Dwg. Notes; All fittings shall be registered in the name of the Manufacturer,
 Each category shall be supported with two Statutory Declaration Signed forms and one copy of supporting documentation. of 3. The declaration shall be made by the person having full authority and Part responsibility for the quality of the and product. 4. Quality control programs shall be resubmitted for validation REG at a maximum interval of five (5) years. Sect. 1.0 - Filtings Rev. 1 06/2003

UNIFORM STAT	TORT DECLARAT	ION FORM FOR	THE REGIS	IRATIO	N OF FITTING DESIGNS
NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON		WARD ISLAND	S	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Kimray, Inc.				
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City,	OK 73118	U.S.A	(405) 525-6601
PLANT LOCATIONS:	Oklahoma City				
CATEGORY OF FITTI	NGS TO BE REGISTERE	D. CIRCLE ONE C	ATEGORY ONL	Y	TITLE OF THE STANDARD OF CONSTRUCTION
 A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conr E Strainers, filters, separators, a F Measuring devices, including pressure transmitters G Certified capacity-rated press boilers, pressure vessels, pip H Pressure retaining component 	nections, and hose assem and steam traps pressure gauges, level ga ure relief devices accepta ing and fusible plugs ts that do not fall into one	nblies: all types auges, sight glasses, able as primary over of the above catego	levels, or pressure protect rries		ASME B31.3-2012 & B16.42-2011
N Nuclear components: Class				,	
SHOW MANUFACTURERS NAM		DGO AS IT WILL AF	PEAR ON THE	PRODUC	Image: Type of construction Forged Image: Welded Image: Wrought Im
LIST OF SUPPORTING DOCU		FICATION OF THE	ACTUAL ITEM	STO PE	PECIETEPED.
my knowledge represents the temperature ratings, and iden	f the end product do so product for which regi tification markings are s regulated by a Qualit ed by , ISO 9001:2008	stration is sought. in accordance wit ty Control Program	at the informati The dimensio h the herein na h which extend as being su	ion contain ons, mater amed stan Is to each uitable for force and	dards. I further declare that the plant where fabrication occurs in whole that purpose and L make this solemp
	TI	his space for Regula	tory Authority us	e DEF	T OF PUBLIC SAFETY
This	registration must be re	evalidated after ter	ו (10) years fro	m the dat	e of acceptance.
CRN: <u>0C15804.2</u> FID#: <u>2908</u> Notes:				R CRN EXAMIN	Then Curren
1. All fittings shall be registere					for
2. Each category shall be sup forms and one copy of support 3. The declaration shall be ma	ported with two Statutory ing documentation.	Declaration		CHI	EF BOILER INSPECTOR

The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

С	HIEF BOILER INSPECTOR
DATE	12/18/2015
	BLRs Sect 1.0 - Fittings Rev. 1 06/2003
5	FITTINGS COMPONENTS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DE	SIGNS
---	-------

EW BRUNSWICK IUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME;	Kimray, Inc.	an a	
MANUFACTURERS ADDRES	S: 52 N.W 42nd Street (Oklahoma Cily. OK 73118 U	S.A (405) 525-6601
PLANT LOCATIONS:	Oklahoma City	an na na dala da ang ang ang ang ang ang ang ang ang an	nnen van 19 daar 19 aan de september ook van de sternen wat de sternen de sternen de sternen de sternen de ste t
A Pipe fittings, including coup B Flanges: all flanges C Valves: all line valves D Expansion Joints, flexible c E Strainers, fitters, separator F Measuring devices, including pressure transmitters	ng pressure gauges, level gauge essure relief devices acceptable r	alons, pipe caps, or reducers :: all types	TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.3-2012 & B16.42-2011
H Pressure retaining compor	ients that do not fall into one of th	e above calegories	
		Meeting CNSC or ASME requirement	
SHOW MANUFACTURERS N	IAME. TRADEMARK, OR LOGO	AS IT WILL APPEAR ON THE PR	ODUCT TYPE OF CONSTRUCTION FORGED D WELDED D WROUGHT D CAST D OTHER D DESCRIBE OTHER. 2-6" Ducille Balanced Valves
LIST OF SUPPORTING DO	CUMENTATION AND IDENTICIO	ATION OF THE ACTUAL ITEMS T	
Kimray Drawing CRN10301 & ISO 9001:2008,	4 / CRN103014-BOM / CRN1030	14-2,3,4,6 Rev. A-02; ASME Calcu	alions, Test Report, and Quality API Q1
my knowledge represents temperature ratings, and is manufacture of these fittin or in part and has been ve	the product for which registra dentification markings are in a gs is regulated by a Quality C onfied thy <u>ISO 9001:2008</u> y believing it to be true, and b <u>orginahama</u>	inly declare that the information tion is sought. The dimensions, accordance with the herein name iontrol Program which extends to as being suite	and being the person having full authority and contained in this form is true and to the best of materials of construction, pressure ed standards. I further declare that the beech plant where fabrication occurs in whole ble for that purpose and I make this solemn be and effect as if made under oath.
CRN: <u>0C15804</u> , FID#: <u>2908</u> . Notes:	Fhis registration must be reva	space for Regulatory Authority use lidated after ten (10) years from	the date of acceptance. S Newford willowd Lubrador Service NL Registered DCJ SHOT 20 Date Engineering and Instaction Services
 Each category shall be forms and one copy of aug 3. The declaration shall b responsibility for the quality 	e made by the person having full ly of the end product. hs shall be resubmitted for valida	claration authority and	Registered by UNITER THE AUTHOUTTY OF THE FURIC SAFEDY ACT IND THE COR OR PRESEURE SEL AND CONSERVED PARTIES RUATION 1003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS
--

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND	9	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Kimray, Inc.			
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118	U,S.A	(406) 525-6601
PLANT LOCATIONS:	Oklahoma City			
CATEGORY OF FITTH	NGS TO BE REGISTERE	D. CIRCLE ONE CATEGORY ONL	<u>Y</u>	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe filtings, including coupling B Flanges: all flanges OValves: all line valves D Expansion joints, flexible conr E Strainers, filters, separators, a F Measuring devices, including	nections, and hose assem	blies: ali types		ASME B31.3-2012 & B16.42-2011
 pressure transmitters G Certified capacity-rated press boilers, pressure vessels, pip H Pressure retaining component 	ure relief devices accepte ing and fusible plugs te thet do not fall into one	ble as primary over pressure protect		
		D, (Meeting CNSC or ASME require		
SHOW MANUFACTURERS NAM	E, TRADEMARK, OR LO	OGO AS IT WILL APPEAR ON THE	PRODUC	
	KIM	DAV		Forged () welded () wrought () CAST () other () Describe other:
		IFICATION OF THE ACTUAL ITEM		2-6" Ductile Balanced Valves
my knowledge represents the temperature ratings, and Iden manufacture of these fittings or in part and has been verific	f the end product do so product for which regi tification markings are is regulated by a Quali ed by , ISO 9001:2008	istration is sought. The dimensio in accordance with the herein na ty Control Program which extend	on contai ns, mater amed star is to each litable for force and - T to -	idards. I further declare that the plant where fabrication occurs in who that purpose and I make this solemo
<u> </u>	<u> </u>	his appendix Desiletary Authority		
This		his space for Regulatory Authority us evalidated after ten (10) years fro		to of accontence
1140		seguration durit (p) (10) Acgus ((vu rue ris	to of champions and

CRN: 0C15804.2

FID#: 2908

.

- Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and
- responsibility for the quality of the end product.
 Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN DAT BOILERS BRAN

GON BA

UNIFORMISTAT	UTORY DECLARAT	ION FORM FOR T	HE REGISTRATION	N OF FITTING DESIGNS
EW BRUNSWICK UNAVUT	NOVA SCOTIA YUKON	PRINCE EDWA		NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Kimray, Inc.			
MANUFACTURERS ADDRESS	: 52 N.W 42nd Straat	Oklahoma City, O	K73118 U.S.A	(405) 525-6601
PLANT LOCATIONS:	Oklahoma City			
A Pipe filtings, including coupli B Flanges: all flanges O Valves: all flanges D Expansion joints, flexible cor E Streiners, filters, separators, F Measuring dovices, including pressure transmitters	nocilons, and hose assem and steam traps pressure gauges, level ga	js, unions, pipe caps, o ibilos: all types auges, sight glasses, le	r reducera vola, or	TITLE OF THE BTANDARD OF CONSTRUCTION ASME B31.3-2012 & B16.42-2011
G Corlified capacity-raled pres boliers, prossure vessels, pl	apuiq eidiau) bha gniq			
H Pressure retaining compone				
N Nuclear components: Class				
SHOW MANUFACTURERS NA	KIM	RAY	EAR ON THE PRODUC	TYPE OF CONSTRUCTION FORGED O WELDED O WROUGHY O CAST O OTHER DESCRIBE OTHER: 2-6" Ductlie Balanced Valves
LIST OF SUPPORTING DOCL	NMERIA INN ANN NEN.	UPICATION OF THE A	UTUAL ITEMS TO BE	Kegistered:
	,			
my knowledge represents th temperature ratings, and ide menufacture of these fittings or in part and has been veri	of the end product do se e product for which reg intification markings are be regulated by a Qual field ty 180 9001:2008 believing it to be true, a believing it to be true, a believing it to be true, a believing to be true, be believing to be true, b	Istration is sought. T b in accordance with ity Control Program with ind knowing that it is	the information conta) The dimensions, material the herein named star which extends to each as being sultable for of the same force and U S E T	being the person having full authority and ined in this form is true and to the best of rials of construction, pressure adards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn it effect as if made under oath.
Th CRN: <u>OC15804,2</u> FID#: <u>2908</u> Notes: 1. All fittings shall be registe 2. Each category shall be su forms and one copy of suppo 3. The declaration shall be r responsibility for the quality of 4. Quality control programs at a maximum interval of five	registration must be r red in the name of the Mai pported with two Statutory ring documentation, nade by the person having of the end product, shall be resubmitted for va	revalidated after ten nufacturer, / Declaration) full authority and	(10) years from the da F UNDER THE BOI	Northwest Territories REGISTERED THE AUTHORITY OF LER AND PRESSURE (ESSEL ACT. (15804). 20

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORI	>	NEWFOUNDLAND AND LABR	ADOR
MANUFACTURERS NAME:	Kimray, Inc.	en an a de antañ de bald an antañ de an en an		um de la faithean air a dhuar an ann an	······································
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118	U.S.A	(405) 525-6601	
PLANT LOCATIONS:	Oklahoma Cily	nan menderana dari berter dari dara menyerin dari 1994 berta bar metaka kalan termer manya kanan kanan kanan k	nine had an de la casa	n (1969), A. () 4. () 4. () 4. () 4. () 4. () 4. () 4. () 4. () 4. () 4. () 4. () 4. () 4. () 4.	
 A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conning E Strainers, filters, separators, a F Measuring devices, including pressure transmitters G Certified capacity-rated pressis boilers, pressure vessels, pipi H Pressure retaining component 	ya, lees, elbows, Ys, plugs, u ections, and hose assemblie nd steam traps pressure gauges, level gauge ure relief devices acceptable ng and fusible plugs a that do not fall into one of t	s: all types s, sight glasses, levels, or as primary over pressure prote he above categories	ction on	TITLE OF THE STANDARD OF CON ASME B31.3-2012 & B16.42	-2011
N Nuclear components: Class 1	🖸 Class 2 🗖 Class 3 🗋, (Meeting CNSC or ASME requi	rements)		
SHOW MANUFACTURERS NAM	KIMR			FORGED D WELDED D WROU CAST D DTHER D DESCRIBE OTHER 2-6" Ductile Balanced Valve	ЭНТ []
LIST OF SUPPORTING DOCUM	MENTATION AND IDENTIFIC	CATION OF THE ACTUAL ITE	MS TO BE F	REGISTERED:	1999 Million
DECLARATION; Thomas Hill responsibility for the quality of my knowledge represents the	(are note 3) employed the end product do solerr product for which recipites	by Kimrav. Inc. Inly declare that the information is governed.	and b		uthority and the best of
temperature ratings, and iden manufacture of these fittings I or in part and has been verifie declaration conscientiously be Signature of Declarer: Declared before me at This <u>3</u> <u>4</u> day of <u>5</u> Commissioner of Oaths or Notary Public: (sign)	bilening it to be true, and k <i>Bilening</i> it to be true, and k <i>B</i>	$\frac{1}{12} \frac{1}{12} \frac$	E T Unit of the second	dards. I further declare that the plant where fabrication occur	ne 's in whole-
This CRN: <u>0C15804,2</u>	This s registration must be reval	pace for negy flow Approving u idated after (10) years for Nunavut	rom the dat	Boilers and	and the second
FID#: <u>2908</u> Notes: 1. All fillings shall be registered 2. Each category shall be supp (orms and one one of each or sol	orted with two Statutory Dec			Prime Versielis Act NEREID 04. J-N	
forms and one copy of support 3. The declaration shall be man responsibility for the quality of t 4. Quality control programs shall at a maximum interval of five (t	de by the person having full a he end product. all be resubmitted for validation	Date De nuthority and Signed De		Sect. 1.0 - Fillings Re	y. 1 06/2003
		Territor	ial Re-	jistian in Fee	5